

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit																					
Permit #:	IL0028321			Permittee:	SANITARY DISTRICT OF DECATUR					Facility:	SANITARY DISTRICT OF DECATUR MAIN STP										
Major:	Yes			Permittee Address:	501 DIPPER LANE DECATUR, IL 62522					Facility Location:	501 DIPPER LANE DECATUR, IL 62522										
Permitted Feature:	001 External Outfall			Discharge:	001-0 STP OUTFALL																
Report Dates & Status																					
Monitoring Period:	From 01/01/26 to 01/31/26			DMR Due Date:	02/25/26					Status:	NetDMR Validated										
Considerations for Form Completion																					
W1150150004 ; DMF LOAD LIMITS DISPLAYED.																					
Principal Executive Officer																					
First Name:	Kent			Title:	Executive Director					Telephone:	217-462-9413										
Last Name:	Newton																				
No Data Indicator (NODI)																					
Form NODI:	--																				
Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type					
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3	Units	
00300	Oxygen, dissolved [DO]	1 - Effluent Gross	1	--	Sample					=	8.32	=	7.95	=	7.93	19 - mg/L	02/DA - 2 Days Every Week	GR - Grab			
					Permit Req.					>=	6.0 MO AV MN	>=	4.5 MN WK AV	>=	4.0 DAILY MN				19 - mg/L	0	GR - Grab
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample					=	7.65	=	8.25			12 - SU	02/DA - 2 Days Every Week	GR - Grab			
					Permit Req.					>=	6.0 MINIMUM			<=	9.0 MAXIMUM				12 - SU	0	GR - Grab
					Value NODI																
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	1329.0	=	2620.0	26 - lb/d		=	5.0	=	11.0	19 - mg/L	02/DA - 2 Days Every Week	CP - Composite			
					Permit Req.	<=	26063.0 MO AVG	<=	46913.0 WKLY AVG	26 - lb/d		<=	25.0 MO AVG	<=	45.0 WKLY AVG				19 - mg/L	0	CP - Composite
					Value NODI																
00600	Nitrogen, total [as N]	1 - Effluent Gross	0	--	Sample						=	14.3	=	14.3		19 - mg/L	01/30 - Monthly	CP - Composite			
					Permit Req.														19 - mg/L	01/30 - Monthly	CP - Composite
					Value NODI																
00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	0	--	Sample	=	31.0	=	34.0	26 - lb/d		=	0.12	=	0.14	19 - mg/L	02/DA - 2 Days Every Week	CP - Composite			
					Permit Req.	<=	1564.0 MO AVG	<=	3128.0 DAILY MX	26 - lb/d		<=	1.5 MO AVG	<=	3.0 DAILY MX				19 - mg/L	0	CP - Composite
					Value NODI																
00665	Phosphorus, total [as P]	1 - Effluent Gross	0	--	Sample						=	18.3	=	19.7		19 - mg/L	02/DA - 2 Days Every Week	CP - Composite			
					Permit Req.														19 - mg/L	02/DA - 2 Days Every Week	CP - Composite
					Value NODI																
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample							=	433.0			19 - mg/L	01/30 - Monthly	CP - Composite			
					Permit Req.														19 - mg/L	01/30 - Monthly	CP - Composite

00945	Sulfate, total [as SO4]	1 - Effluent Gross	0	--	Sample					=		295.0		19 - mg/L		01/30 - Monthly		CP - Composite				
					Permit Req.							Req Mon DAILY MX		19 - mg/L		01/30 - Monthly		CP - Composite				
					Value NODI																	
01067	Nickel, total [as Ni]	1 - Effluent Gross	0	--	Sample	=	4.1			26 - lb/d		=		0.016		19 - mg/L		02/DA - 2 Days Every Week		CP - Composite		
					Permit Req.	<=	40.0 MO AVG			26 - lb/d		<=		0.0381 MO AVG		19 - mg/L		0	02/DA - 2 Days Every Week		CP - Composite	
					Value NODI																	
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample	=	29.53	=	34.41	03 - MGD							99/99 - Continuous					
					Permit Req.			Req Mon MO AVG		Req Mon DAILY MX		03 - MGD					99/99 - Continuous					
					Value NODI																	
50060	Chlorine, total residual	1 - Effluent Gross	1	--	Sample							<=		0.05 DAILY MX		19 - mg/L		CL/OC - Chlorination/Occurrences		GR - Grab		
					Permit Req.																	
					Value NODI									9 - Conditional Monitoring - Not Required This Period								
80082	BOD, carbonaceous [5 day, 20 C]	1 - Effluent Gross	0	--	Sample	=	553.0	=	737.0	26 - lb/d			=		2.0		=		3.0			
					Permit Req.	<=	20850.0 MO AVG	<=	41700.0 WKLY AVG	26 - lb/d			<=		20.0 MO AVG		<=		40.0 WKLY AVG			
					Value NODI											19 - mg/L		0	02/DA - 2 Days Every Week		CP - Composite	

#### Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

#### Edit Check Errors

No errors.

#### Comments

#### Attachments

No attachments.

#### Report Last Saved By

##### SANITARY DISTRICT OF DECATUR

User: keithrsdd  
 Name: Keith Richard  
 E-Mail: keithr@sddcleanwater.org  
 Date/Time: 2026-02-06 09:06 (Time Zone: -06:00)

#### Report Last Signed By

User: TIMSDD89  
 Name: Tim Gorden  
 E-Mail: timg@sddcleanwater.org  
 Date/Time: 2026-02-06 10:42 (Time Zone: -06:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit																			
Permit #:	IL0028321			Permittee:	SANITARY DISTRICT OF DECATUR					Facility:	SANITARY DISTRICT OF DECATUR MAIN STP								
Major:	Yes			Permittee Address:	501 DIPPER LANE DECATUR, IL 62522					Facility Location:	501 DIPPER LANE DECATUR, IL 62522								
Permitted Feature:	002 External Outfall			Discharge:	002-0 EMERGENCY HIGH LEVEL OVERFLOW BYPASS														
Report Dates & Status																			
Monitoring Period:	From 01/01/26 to 01/31/26			DMR Due Date:	02/25/26					Status:	NetDMR Validated								
Considerations for Form Completion																			
W0430350001																			
Principal Executive Officer																			
First Name:	Kent			Title:	Executive Director					Telephone:	217-462-9413								
Last Name:	Newton																		
No Data Indicator (NODI)																			
Form NODI:	--																		
Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--	Sample									Opt Mon DAILY MX	19 - mg/L	DL/DS - Daily When Discharging	GR - Grab		
					Permit Req.														
					Value NODI														
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample									Opt Mon DAILY MX	19 - mg/L	DL/DS - Daily When Discharging	GR - Grab		
					Permit Req.														
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample									Opt Mon DAILY MX	13 - #/100mL	DL/DS - Daily When Discharging	GR - Grab		
					Permit Req.														
					Value NODI														
74071	Flow	1 - Effluent Gross	0	--	Sample											DL/DS - Daily When Discharging			
					Permit Req.														
					Value NODI														
Submission Note																			
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																			
Edit Check Errors																			
No errors.																			
Comments																			
No discharge during the month.																			
Attachments																			
No attachments.																			
Report Last Saved By																			
SANITARY DISTRICT OF DECATUR																			
User:	keithrsdd																		
Name:	Keith Richard																		
E-Mail:	keithr@sddcleanwater.org																		
Date/Time:	2026-02-06 09:12 (Time Zone: -06:00)																		
Report Last Signed By																			
User:	TIMSDD89																		

Name:

Tim Gorden

E-Mail:

timg@sddcleanwater.org

Date/Time:

2026-02-06 10:42 (Time Zone: -06:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit																		
Permit #:	IL0028321			Permittee:	SANITARY DISTRICT OF DECATUR					Facility:	SANITARY DISTRICT OF DECATUR MAIN STP							
Major:	Yes			Permittee Address:	501 DIPPER LANE DECATUR, IL 62522					Facility Location:	501 DIPPER LANE DECATUR, IL 62522							
Permitted Feature:	003 External Outfall			Discharge:	003-0 TREATED CSO-OAKLAND AVENUE													
Report Dates & Status																		
Monitoring Period:	From 01/01/26 to 01/31/26			DMR Due Date:	02/25/26					Status:	NetDMR Validated							
Considerations for Form Completion																		
W1150150004 ; RECEIVING WATER: SANGAMON RIVERNUMBER OF DAYS OF DISCHARGE:GF																		
Principal Executive Officer																		
First Name:	Kent			Title:	Executive Director					Telephone:	217-462-9413							
Last Name:	Newton																	
No Data Indicator (NODI)																		
Form NODI:	--																	
Parameter																		
Code	Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading				Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units							
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--	Sample							Req Mon DAILY MX	19 - mg/L		DL/DS - Daily When Discharging	GR - Grab		
					Permit Req.							C - No Discharge						
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample							Req Mon MINIMUM		Req Mon MAXIMUM	12 - SU		DL/DS - Daily When Discharging	GR - Grab
					Permit Req.							C - No Discharge		C - No Discharge				
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample							Req Mon DAILY MX	19 - mg/L		DL/DS - Daily When Discharging	GR - Grab		
					Permit Req.							C - No Discharge						
					Value NODI													
00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	0	--	Sample							Req Mon DAILY MX	19 - mg/L		DL/DS - Daily When Discharging	GR - Grab		
					Permit Req.							C - No Discharge						
					Value NODI													
00665	Phosphorus, total [as P]	1 - Effluent Gross	0	--	Sample							Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L		DL/DS - Daily When Discharging	GR - Grab
					Permit Req.							C - No Discharge		C - No Discharge				
					Value NODI													
82220	Flow, total	1 - Effluent Gross	0	--	Sample							Req Mon MO TOTAL	80 - Mgal/mo				DL/DS - Daily When Discharging	CN - Continuous
					Permit Req.							C - No Discharge						
					Value NODI													
Submission Note																		
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																		
Edit Check Errors																		
No errors.																		
Comments																		
No discharge during the month.																		
Attachments																		
No attachments.																		
Report Last Saved By																		
SANITARY DISTRICT OF DECATUR																		

User: keithsdd  
Name: Keith Richard  
E-Mail: keithr@sddcleanwater.org  
Date/Time: 2026-02-06 09:13 (Time Zone: -06:00)

***Report Last Signed By***

User: TIMSDD89  
Name: Tim Gorden  
E-Mail: timg@sddcleanwater.org  
Date/Time: 2026-02-06 10:42 (Time Zone: -06:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit																																																																																																																																																																																																																																																																																																																																																																																																										
Permit #:	IL0028321			Permittee:	SANITARY DISTRICT OF DECATUR				Facility:	SANITARY DISTRICT OF DECATUR MAIN STP																																																																																																																																																																																																																																																																																																																																																																																																
Major:	Yes			Permittee Address:	501 DIPPER LANE DECATUR, IL 62522				Facility Location:	501 DIPPER LANE DECATUR, IL 62522																																																																																																																																																																																																																																																																																																																																																																																																
Permitted Feature:	004 External Outfall			Discharge:	004-0 TREATED CSO-LINCOLN PARK																																																																																																																																																																																																																																																																																																																																																																																																					
Report Dates & Status																																																																																																																																																																																																																																																																																																																																																																																																										
Monitoring Period:	From 01/01/26 to 01/31/26			DMR Due Date:	02/25/26				Status:	NetDMR Validated																																																																																																																																																																																																																																																																																																																																																																																																
Considerations for Form Completion																																																																																																																																																																																																																																																																																																																																																																																																										
W1150150004 ; RECEIVING WATER: SANGAMON RIVERNUMBER OF DAYS OF DISCHARGE:GF																																																																																																																																																																																																																																																																																																																																																																																																										
Principal Executive Officer																																																																																																																																																																																																																																																																																																																																																																																																										
First Name:	Kent			Title:	Executive Director				Telephone:	217-462-9413																																																																																																																																																																																																																																																																																																																																																																																																
Last Name:	Newton																																																																																																																																																																																																																																																																																																																																																																																																									
No Data Indicator (NODI)																																																																																																																																																																																																																																																																																																																																																																																																										
Form NODI:	--																																																																																																																																																																																																																																																																																																																																																																																																									
<table border="1"> <thead> <tr> <th rowspan="2">Code</th> <th rowspan="2">Parameter</th> <th rowspan="2">Monitoring Location</th> <th rowspan="2">Season #</th> <th rowspan="2">Param. NODI</th> <th rowspan="2"></th> <th colspan="3">Quantity or Loading</th> <th colspan="5">Quality or Concentration</th> <th rowspan="2"># of Ex.</th> <th rowspan="2">Frequency of Analysis</th> <th rowspan="2">Sample Type</th> </tr> <tr> <th>Qualifier 1</th> <th>Value 1</th> <th>Qualifier 2</th> <th>Value 2</th> <th>Units</th> <th>Qualifier 1</th> <th>Value 1</th> <th>Qualifier 2</th> <th>Value 2</th> <th>Qualifier 3</th> <th>Value 3</th> <th>Units</th> </tr> </thead> <tbody> <tr> <td rowspan="3">00310</td> <td rowspan="3">BOD, 5-day, 20 deg. C</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">Req Mon DAILY MX</td> <td rowspan="3">19 - mg/L</td> <td rowspan="3">DL/DS - Daily When Discharging</td> <td rowspan="3">GR - Grab</td> </tr> <tr> <td>Permit Req.</td> <td></td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">00400</td> <td rowspan="3">pH</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">Req Mon MAXIMUM</td> <td rowspan="3">12 - SU</td> <td rowspan="3">DL/DS - Daily When Discharging</td> <td rowspan="3">GR - Grab</td> </tr> <tr> <td>Permit Req.</td> <td></td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">00530</td> <td rowspan="3">Solids, total suspended</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">Req Mon DAILY MX</td> <td rowspan="3">19 - mg/L</td> <td rowspan="3">DL/DS - Daily When Discharging</td> <td rowspan="3">GR - Grab</td> </tr> <tr> <td>Permit Req.</td> <td></td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">00610</td> <td rowspan="3">Nitrogen, ammonia total [as N]</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">Req Mon DAILY MX</td> <td rowspan="3">19 - mg/L</td> <td rowspan="3">DL/DS - Daily When Discharging</td> <td rowspan="3">GR - Grab</td> </tr> <tr> <td>Permit Req.</td> <td></td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">00665</td> <td rowspan="3">Phosphorus, total [as P]</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">Req Mon DAILY MX</td> <td rowspan="3">19 - mg/L</td> <td rowspan="3">DL/DS - Daily When Discharging</td> <td rowspan="3">GR - Grab</td> </tr> <tr> <td>Permit Req.</td> <td></td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">82220</td> <td rowspan="3">Flow, total</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">C - No Discharge</td> <td rowspan="3"></td> <td rowspan="3">DL/DS - Daily When Discharging</td> <td rowspan="3">CN - Continuous</td> </tr> <tr> <td>Permit Req.</td> <td></td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <th colspan="12">Submission Note</th> </tr> <tr> <td colspan="12">If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.</td> </tr> <tr> <th colspan="12">Edit Check Errors</th> </tr> <tr> <td colspan="12">No errors.</td> </tr> <tr> <th colspan="12">Comments</th> </tr> <tr> <td colspan="12">No discharge during the month.</td> </tr> <tr> <th colspan="12">Attachments</th> </tr> <tr> <td colspan="12">No attachments.</td> </tr> <tr> <th colspan="12">Report Last Saved By</th> </tr> <tr> <td colspan="12">SANITARY DISTRICT OF DECATUR</td> </tr> </tbody> </table>												Code	Parameter	Monitoring Location	Season #	Param. NODI		Quantity or Loading			Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--	Sample								Req Mon DAILY MX	19 - mg/L	DL/DS - Daily When Discharging	GR - Grab	Permit Req.											Value NODI											00400	pH	1 - Effluent Gross	0	--	Sample								Req Mon MAXIMUM	12 - SU	DL/DS - Daily When Discharging	GR - Grab	Permit Req.											Value NODI											00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample								Req Mon DAILY MX	19 - mg/L	DL/DS - Daily When Discharging	GR - Grab	Permit Req.											Value NODI											00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	0	--	Sample								Req Mon DAILY MX	19 - mg/L	DL/DS - Daily When Discharging	GR - Grab	Permit Req.											Value NODI											00665	Phosphorus, total [as P]	1 - Effluent Gross	0	--	Sample								Req Mon DAILY MX	19 - mg/L	DL/DS - Daily When Discharging	GR - Grab	Permit Req.											Value NODI											82220	Flow, total	1 - Effluent Gross	0	--	Sample								C - No Discharge		DL/DS - Daily When Discharging	CN - Continuous	Permit Req.											Value NODI											Submission Note												If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.												Edit Check Errors												No errors.												Comments												No discharge during the month.												Attachments												No attachments.												Report Last Saved By												SANITARY DISTRICT OF DECATUR											
Code	Parameter	Monitoring Location	Season #	Param. NODI		Quantity or Loading			Quality or Concentration									# of Ex.	Frequency of Analysis	Sample Type																																																																																																																																																																																																																																																																																																																																																																																						
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units																																																																																																																																																																																																																																																																																																																																																																																									
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--	Sample								Req Mon DAILY MX	19 - mg/L	DL/DS - Daily When Discharging	GR - Grab																																																																																																																																																																																																																																																																																																																																																																																										
					Permit Req.																																																																																																																																																																																																																																																																																																																																																																																																					
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																					
00400	pH	1 - Effluent Gross	0	--	Sample								Req Mon MAXIMUM	12 - SU	DL/DS - Daily When Discharging	GR - Grab																																																																																																																																																																																																																																																																																																																																																																																										
					Permit Req.																																																																																																																																																																																																																																																																																																																																																																																																					
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																					
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample								Req Mon DAILY MX	19 - mg/L	DL/DS - Daily When Discharging	GR - Grab																																																																																																																																																																																																																																																																																																																																																																																										
					Permit Req.																																																																																																																																																																																																																																																																																																																																																																																																					
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																					
00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	0	--	Sample								Req Mon DAILY MX	19 - mg/L	DL/DS - Daily When Discharging	GR - Grab																																																																																																																																																																																																																																																																																																																																																																																										
					Permit Req.																																																																																																																																																																																																																																																																																																																																																																																																					
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																					
00665	Phosphorus, total [as P]	1 - Effluent Gross	0	--	Sample								Req Mon DAILY MX	19 - mg/L	DL/DS - Daily When Discharging	GR - Grab																																																																																																																																																																																																																																																																																																																																																																																										
					Permit Req.																																																																																																																																																																																																																																																																																																																																																																																																					
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																					
82220	Flow, total	1 - Effluent Gross	0	--	Sample								C - No Discharge		DL/DS - Daily When Discharging	CN - Continuous																																																																																																																																																																																																																																																																																																																																																																																										
					Permit Req.																																																																																																																																																																																																																																																																																																																																																																																																					
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																					
Submission Note																																																																																																																																																																																																																																																																																																																																																																																																										
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																																																																																																																																																																																																																																																																																																																																																																																																										
Edit Check Errors																																																																																																																																																																																																																																																																																																																																																																																																										
No errors.																																																																																																																																																																																																																																																																																																																																																																																																										
Comments																																																																																																																																																																																																																																																																																																																																																																																																										
No discharge during the month.																																																																																																																																																																																																																																																																																																																																																																																																										
Attachments																																																																																																																																																																																																																																																																																																																																																																																																										
No attachments.																																																																																																																																																																																																																																																																																																																																																																																																										
Report Last Saved By																																																																																																																																																																																																																																																																																																																																																																																																										
SANITARY DISTRICT OF DECATUR																																																																																																																																																																																																																																																																																																																																																																																																										

User: keithsdd  
Name: Keith Richard  
E-Mail: keithr@sddcleanwater.org  
Date/Time: 2026-02-06 09:13 (Time Zone: -06:00)

***Report Last Signed By***

User: TIMSDD89  
Name: Tim Gorden  
E-Mail: timg@sddcleanwater.org  
Date/Time: 2026-02-06 10:42 (Time Zone: -06:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit																																																																																																																																																																																																																																																																																																																																																																																																												
Permit #:	IL0028321			Permittee:	SANITARY DISTRICT OF DECATUR				Facility:	SANITARY DISTRICT OF DECATUR MAIN STP																																																																																																																																																																																																																																																																																																																																																																																																		
Major:	Yes			Permittee Address:	501 DIPPER LANE DECATUR, IL 62522				Facility Location:	501 DIPPER LANE DECATUR, IL 62522																																																																																																																																																																																																																																																																																																																																																																																																		
Permitted Feature:	007 External Outfall			Discharge:	007-0 TREATED CSO-MCKINLEY AVENUE																																																																																																																																																																																																																																																																																																																																																																																																							
Report Dates & Status																																																																																																																																																																																																																																																																																																																																																																																																												
Monitoring Period:	From 01/01/26 to 01/31/26			DMR Due Date:	02/25/26				Status:	NetDMR Validated																																																																																																																																																																																																																																																																																																																																																																																																		
Considerations for Form Completion																																																																																																																																																																																																																																																																																																																																																																																																												
W1150150004 ; RECEIVING WATER: SANGAMON RIVERNUMBER OF DAYS OF DISCHARGE:GF																																																																																																																																																																																																																																																																																																																																																																																																												
Principal Executive Officer																																																																																																																																																																																																																																																																																																																																																																																																												
First Name:	Kent			Title:	Executive Director				Telephone:	217-462-9413																																																																																																																																																																																																																																																																																																																																																																																																		
Last Name:	Newton																																																																																																																																																																																																																																																																																																																																																																																																											
No Data Indicator (NODI)																																																																																																																																																																																																																																																																																																																																																																																																												
Form NODI:	--																																																																																																																																																																																																																																																																																																																																																																																																											
<table border="1"> <thead> <tr> <th colspan="2">Parameter</th> <th rowspan="2">Monitoring Location</th> <th rowspan="2">Season #</th> <th rowspan="2">Param. NODI</th> <th rowspan="2"></th> <th colspan="3">Quantity or Loading</th> <th colspan="5">Quality or Concentration</th> <th rowspan="2"># of Ex.</th> <th rowspan="2">Frequency of Analysis</th> <th rowspan="2">Sample Type</th> </tr> <tr> <th>Code</th> <th>Name</th> <th>Qualifier 1</th> <th>Value 1</th> <th>Qualifier 2</th> <th>Value 2</th> <th>Units</th> <th>Qualifier 1</th> <th>Value 1</th> <th>Qualifier 2</th> <th>Value 2</th> <th>Qualifier 3</th> <th>Value 3</th> <th>Units</th> </tr> </thead> <tbody> <tr> <td rowspan="3">00310</td> <td rowspan="3">BOD, 5-day, 20 deg. C</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">Req Mon DAILY MX 19 - mg/L</td> <td rowspan="3">DL/DS - Daily When Discharging</td> <td rowspan="3">GR - Grab</td> </tr> <tr> <td>Permit Req.</td> <td></td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">00400</td> <td rowspan="3">pH</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">Req Mon MAXIMUM 12 - SU</td> <td rowspan="3">DL/DS - Daily When Discharging</td> <td rowspan="3">GR - Grab</td> </tr> <tr> <td>Permit Req.</td> <td></td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">00530</td> <td rowspan="3">Solids, total suspended</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">Req Mon DAILY MX 19 - mg/L</td> <td rowspan="3">DL/DS - Daily When Discharging</td> <td rowspan="3">GR - Grab</td> </tr> <tr> <td>Permit Req.</td> <td></td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">00610</td> <td rowspan="3">Nitrogen, ammonia total [as N]</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">Req Mon DAILY MX 19 - mg/L</td> <td rowspan="3">DL/DS - Daily When Discharging</td> <td rowspan="3">GR - Grab</td> </tr> <tr> <td>Permit Req.</td> <td></td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">00665</td> <td rowspan="3">Phosphorus, total [as P]</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">Req Mon DAILY MX 19 - mg/L</td> <td rowspan="3">DL/DS - Daily When Discharging</td> <td rowspan="3">GR - Grab</td> </tr> <tr> <td>Permit Req.</td> <td></td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">82220</td> <td rowspan="3">Flow, total</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">C - No Discharge</td> <td rowspan="3">DL/DS - Daily When Discharging</td> <td rowspan="3">CN - Continuous</td> </tr> <tr> <td>Permit Req.</td> <td></td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <th colspan="12">Submission Note</th> </tr> <tr> <td colspan="12">If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.</td> </tr> <tr> <th colspan="12">Edit Check Errors</th> </tr> <tr> <td colspan="12">No errors.</td> </tr> <tr> <th colspan="12">Comments</th> </tr> <tr> <td colspan="12">No discharge during the month.</td> </tr> <tr> <th colspan="12">Attachments</th> </tr> <tr> <td colspan="12">No attachments.</td> </tr> <tr> <th colspan="12">Report Last Saved By</th> </tr> <tr> <td colspan="12">SANITARY DISTRICT OF DECATUR</td> </tr> </tbody> </table>												Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading			Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	Code	Name	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--	Sample									Req Mon DAILY MX 19 - mg/L	DL/DS - Daily When Discharging	GR - Grab	Permit Req.											Value NODI											00400	pH	1 - Effluent Gross	0	--	Sample									Req Mon MAXIMUM 12 - SU	DL/DS - Daily When Discharging	GR - Grab	Permit Req.											Value NODI											00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample									Req Mon DAILY MX 19 - mg/L	DL/DS - Daily When Discharging	GR - Grab	Permit Req.											Value NODI											00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	0	--	Sample									Req Mon DAILY MX 19 - mg/L	DL/DS - Daily When Discharging	GR - Grab	Permit Req.											Value NODI											00665	Phosphorus, total [as P]	1 - Effluent Gross	0	--	Sample									Req Mon DAILY MX 19 - mg/L	DL/DS - Daily When Discharging	GR - Grab	Permit Req.											Value NODI											82220	Flow, total	1 - Effluent Gross	0	--	Sample									C - No Discharge	DL/DS - Daily When Discharging	CN - Continuous	Permit Req.											Value NODI											Submission Note												If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.												Edit Check Errors												No errors.												Comments												No discharge during the month.												Attachments												No attachments.												Report Last Saved By												SANITARY DISTRICT OF DECATUR											
Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading			Quality or Concentration									# of Ex.	Frequency of Analysis	Sample Type																																																																																																																																																																																																																																																																																																																																																																																								
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units																																																																																																																																																																																																																																																																																																																																																																																											
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--	Sample									Req Mon DAILY MX 19 - mg/L	DL/DS - Daily When Discharging	GR - Grab																																																																																																																																																																																																																																																																																																																																																																																												
					Permit Req.																																																																																																																																																																																																																																																																																																																																																																																																							
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																							
00400	pH	1 - Effluent Gross	0	--	Sample									Req Mon MAXIMUM 12 - SU	DL/DS - Daily When Discharging	GR - Grab																																																																																																																																																																																																																																																																																																																																																																																												
					Permit Req.																																																																																																																																																																																																																																																																																																																																																																																																							
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																							
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample									Req Mon DAILY MX 19 - mg/L	DL/DS - Daily When Discharging	GR - Grab																																																																																																																																																																																																																																																																																																																																																																																												
					Permit Req.																																																																																																																																																																																																																																																																																																																																																																																																							
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																							
00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	0	--	Sample									Req Mon DAILY MX 19 - mg/L	DL/DS - Daily When Discharging	GR - Grab																																																																																																																																																																																																																																																																																																																																																																																												
					Permit Req.																																																																																																																																																																																																																																																																																																																																																																																																							
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																							
00665	Phosphorus, total [as P]	1 - Effluent Gross	0	--	Sample									Req Mon DAILY MX 19 - mg/L	DL/DS - Daily When Discharging	GR - Grab																																																																																																																																																																																																																																																																																																																																																																																												
					Permit Req.																																																																																																																																																																																																																																																																																																																																																																																																							
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																							
82220	Flow, total	1 - Effluent Gross	0	--	Sample									C - No Discharge	DL/DS - Daily When Discharging	CN - Continuous																																																																																																																																																																																																																																																																																																																																																																																												
					Permit Req.																																																																																																																																																																																																																																																																																																																																																																																																							
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																							
Submission Note																																																																																																																																																																																																																																																																																																																																																																																																												
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																																																																																																																																																																																																																																																																																																																																																																																																												
Edit Check Errors																																																																																																																																																																																																																																																																																																																																																																																																												
No errors.																																																																																																																																																																																																																																																																																																																																																																																																												
Comments																																																																																																																																																																																																																																																																																																																																																																																																												
No discharge during the month.																																																																																																																																																																																																																																																																																																																																																																																																												
Attachments																																																																																																																																																																																																																																																																																																																																																																																																												
No attachments.																																																																																																																																																																																																																																																																																																																																																																																																												
Report Last Saved By																																																																																																																																																																																																																																																																																																																																																																																																												
SANITARY DISTRICT OF DECATUR																																																																																																																																																																																																																																																																																																																																																																																																												

User: keithsdd  
Name: Keith Richard  
E-Mail: keithr@sddcleanwater.org  
Date/Time: 2026-02-06 09:14 (Time Zone: -06:00)

***Report Last Signed By***

User: TIMSDD89  
Name: Tim Gorden  
E-Mail: timg@sddcleanwater.org  
Date/Time: 2026-02-06 10:42 (Time Zone: -06:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit																																																																																																																																																																																																																																																																																																																																																																																																
Permit #:	IL0028321			Permittee:	SANITARY DISTRICT OF DECATUR			Facility:	SANITARY DISTRICT OF DECATUR MAIN STP																																																																																																																																																																																																																																																																																																																																																																																							
Major:	Yes			Permittee Address:	501 DIPPER LANE DECATUR, IL 62522			Facility Location:	501 DIPPER LANE DECATUR, IL 62522																																																																																																																																																																																																																																																																																																																																																																																							
Permitted Feature:	008 External Outfall			Discharge:	008-0 TREATED CSO-SEVENTH WARD																																																																																																																																																																																																																																																																																																																																																																																											
Report Dates & Status																																																																																																																																																																																																																																																																																																																																																																																																
Monitoring Period:	From 01/01/26 to 01/31/26			DMR Due Date:	02/25/26			Status:	NetDMR Validated																																																																																																																																																																																																																																																																																																																																																																																							
Considerations for Form Completion																																																																																																																																																																																																																																																																																																																																																																																																
W1150150004 ; RECEIVING WATER: SANGAMON RIVERNUMBER OF DAYS OF DISCHARGE:GF																																																																																																																																																																																																																																																																																																																																																																																																
Principal Executive Officer																																																																																																																																																																																																																																																																																																																																																																																																
First Name:	Kent			Title:	Executive Director			Telephone:	217-462-9413																																																																																																																																																																																																																																																																																																																																																																																							
Last Name:	Newton																																																																																																																																																																																																																																																																																																																																																																																															
No Data Indicator (NODI)																																																																																																																																																																																																																																																																																																																																																																																																
Form NODI:	--																																																																																																																																																																																																																																																																																																																																																																																															
<table border="1"> <thead> <tr> <th rowspan="2">Code</th> <th rowspan="2">Parameter</th> <th rowspan="2">Monitoring Location</th> <th rowspan="2">Season #</th> <th rowspan="2">Param. NODI</th> <th rowspan="2"></th> <th colspan="3">Quantity or Loading</th> <th colspan="5">Quality or Concentration</th> <th rowspan="2"># of Ex.</th> <th rowspan="2">Frequency of Analysis</th> <th rowspan="2">Sample Type</th> </tr> <tr> <th>Qualifier 1</th> <th>Value 1</th> <th>Qualifier 2</th> <th>Value 2</th> <th>Units</th> <th>Qualifier 1</th> <th>Value 1</th> <th>Qualifier 2</th> <th>Value 2</th> <th>Qualifier 3</th> <th>Value 3</th> <th>Units</th> </tr> </thead> <tbody> <tr> <td rowspan="3">00310</td> <td rowspan="3">BOD, 5-day, 20 deg. C</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">Req Mon DAILY MX</td> <td rowspan="3">19 - mg/L</td> <td rowspan="3">DL/DS - Daily When Discharging</td> <td rowspan="3">GR - Grab</td> </tr> <tr> <td>Permit Req.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Value NODI</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td rowspan="3">00400</td> <td rowspan="3">pH</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">Req Mon MAXIMUM</td> <td rowspan="3">12 - SU</td> <td rowspan="3">DL/DS - Daily When Discharging</td> <td rowspan="3">GR - Grab</td> </tr> <tr> <td>Permit Req.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Value NODI</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td rowspan="3">00530</td> <td rowspan="3">Solids, total suspended</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">Req Mon DAILY MX</td> <td rowspan="3">19 - mg/L</td> <td rowspan="3">DL/DS - Daily When Discharging</td> <td rowspan="3">GR - Grab</td> </tr> <tr> <td>Permit Req.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Value NODI</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td rowspan="3">00610</td> <td rowspan="3">Nitrogen, ammonia total [as N]</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">Req Mon DAILY MX</td> <td rowspan="3">19 - mg/L</td> <td rowspan="3">DL/DS - Daily When Discharging</td> <td rowspan="3">GR - Grab</td> </tr> <tr> <td>Permit Req.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Value NODI</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td rowspan="3">00665</td> <td rowspan="3">Phosphorus, total [as P]</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">Req Mon MO AVG</td> <td rowspan="3">Req Mon DAILY MX</td> <td rowspan="3">19 - mg/L</td> <td rowspan="3">DL/DS - Daily When Discharging</td> <td rowspan="3">GR - Grab</td> </tr> <tr> <td>Permit Req.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Value NODI</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td rowspan="3">82220</td> <td rowspan="3">Flow, total</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">C - No Discharge</td> </tr> <tr> <td>Permit Req.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Value NODI</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <th colspan="12">Submission Note</th> </tr> <tr> <td colspan="12">If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.</td> </tr> <tr> <th colspan="12">Edit Check Errors</th> </tr> <tr> <td colspan="12">No errors.</td> </tr> <tr> <th colspan="12">Comments</th> </tr> <tr> <td colspan="12">No discharge during the month.</td> </tr> <tr> <th colspan="12">Attachments</th> </tr> <tr> <td colspan="12">No attachments.</td> </tr> <tr> <th colspan="12">Report Last Saved By</th> </tr> <tr> <td colspan="12">SANITARY DISTRICT OF DECATUR</td> </tr> </tbody> </table>												Code	Parameter	Monitoring Location	Season #	Param. NODI		Quantity or Loading			Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--	Sample								Req Mon DAILY MX	19 - mg/L	DL/DS - Daily When Discharging	GR - Grab	Permit Req.										Value NODI										00400	pH	1 - Effluent Gross	0	--	Sample								Req Mon MAXIMUM	12 - SU	DL/DS - Daily When Discharging	GR - Grab	Permit Req.										Value NODI										00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample								Req Mon DAILY MX	19 - mg/L	DL/DS - Daily When Discharging	GR - Grab	Permit Req.										Value NODI										00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	0	--	Sample								Req Mon DAILY MX	19 - mg/L	DL/DS - Daily When Discharging	GR - Grab	Permit Req.										Value NODI										00665	Phosphorus, total [as P]	1 - Effluent Gross	0	--	Sample								Req Mon MO AVG	Req Mon DAILY MX	19 - mg/L	DL/DS - Daily When Discharging	GR - Grab	Permit Req.										Value NODI										82220	Flow, total	1 - Effluent Gross	0	--	Sample								C - No Discharge	Permit Req.										Value NODI										Submission Note												If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.												Edit Check Errors												No errors.												Comments												No discharge during the month.												Attachments												No attachments.												Report Last Saved By												SANITARY DISTRICT OF DECATUR															
Code	Parameter	Monitoring Location	Season #	Param. NODI		Quantity or Loading			Quality or Concentration									# of Ex.	Frequency of Analysis	Sample Type																																																																																																																																																																																																																																																																																																																																																																												
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units																																																																																																																																																																																																																																																																																																																																																																															
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--	Sample								Req Mon DAILY MX	19 - mg/L	DL/DS - Daily When Discharging	GR - Grab																																																																																																																																																																																																																																																																																																																																																																																
					Permit Req.																																																																																																																																																																																																																																																																																																																																																																																											
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																											
00400	pH	1 - Effluent Gross	0	--	Sample								Req Mon MAXIMUM	12 - SU	DL/DS - Daily When Discharging	GR - Grab																																																																																																																																																																																																																																																																																																																																																																																
					Permit Req.																																																																																																																																																																																																																																																																																																																																																																																											
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																											
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample								Req Mon DAILY MX	19 - mg/L	DL/DS - Daily When Discharging	GR - Grab																																																																																																																																																																																																																																																																																																																																																																																
					Permit Req.																																																																																																																																																																																																																																																																																																																																																																																											
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																											
00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	0	--	Sample								Req Mon DAILY MX	19 - mg/L	DL/DS - Daily When Discharging	GR - Grab																																																																																																																																																																																																																																																																																																																																																																																
					Permit Req.																																																																																																																																																																																																																																																																																																																																																																																											
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																											
00665	Phosphorus, total [as P]	1 - Effluent Gross	0	--	Sample								Req Mon MO AVG	Req Mon DAILY MX	19 - mg/L	DL/DS - Daily When Discharging	GR - Grab																																																																																																																																																																																																																																																																																																																																																																															
					Permit Req.																																																																																																																																																																																																																																																																																																																																																																																											
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																											
82220	Flow, total	1 - Effluent Gross	0	--	Sample								C - No Discharge	C - No Discharge	C - No Discharge	C - No Discharge	C - No Discharge																																																																																																																																																																																																																																																																																																																																																																															
					Permit Req.																																																																																																																																																																																																																																																																																																																																																																																											
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																											
Submission Note																																																																																																																																																																																																																																																																																																																																																																																																
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																																																																																																																																																																																																																																																																																																																																																																																																
Edit Check Errors																																																																																																																																																																																																																																																																																																																																																																																																
No errors.																																																																																																																																																																																																																																																																																																																																																																																																
Comments																																																																																																																																																																																																																																																																																																																																																																																																
No discharge during the month.																																																																																																																																																																																																																																																																																																																																																																																																
Attachments																																																																																																																																																																																																																																																																																																																																																																																																
No attachments.																																																																																																																																																																																																																																																																																																																																																																																																
Report Last Saved By																																																																																																																																																																																																																																																																																																																																																																																																
SANITARY DISTRICT OF DECATUR																																																																																																																																																																																																																																																																																																																																																																																																

User: keithsdd  
Name: Keith Richard  
E-Mail: keithr@sddcleanwater.org  
Date/Time: 2026-02-06 09:14 (Time Zone: -06:00)

***Report Last Signed By***

User: TIMSDD89  
Name: Tim Gorden  
E-Mail: timg@sddcleanwater.org  
Date/Time: 2026-02-06 10:42 (Time Zone: -06:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit																				
Permit #:	IL0028321		Permittee:	SANITARY DISTRICT OF DECATUR					Facility:	SANITARY DISTRICT OF DECATUR MAIN STP										
Major:	Yes		Permittee Address:	501 DIPPER LANE DECATUR, IL 62522					Facility Location:	501 DIPPER LANE DECATUR, IL 62522										
Permitted Feature:	A03 External Outfall		Discharge:	A03-0 CSO-OAKLAND AVENUE CSO TREATMENT BYPASS																
Report Dates & Status																				
Monitoring Period:	From 01/01/26 to 01/31/26		DMR Due Date:	02/25/26					Status:	NetDMR Validated										
Considerations for Form Completion																				
W1370200010 ; RECEIVING WATER:BRIAR CREEK																				
Principal Executive Officer																				
First Name:	Kent		Title:	Executive Director					Telephone:	217-462-9413										
Last Name:	Newton																			
No Data Indicator (NODI)																				
Form NODI:	--																			
Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
74062	Overflows					Sample														
						Permit Req.			Opt Mon MO TOTAL	4K - #/mo										
		Value NODI			C - No Discharge															

#### Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

#### Edit Check Errors

No errors.

#### Comments

No discharge during the month.

#### Attachments

No attachments.

#### Report Last Saved By

##### SANITARY DISTRICT OF DECATUR

User: keithrsdd  
Name: Keith Richard  
E-Mail: keithr@sddcleanwater.org  
Date/Time: 2026-02-06 09:15 (Time Zone: -06:00)

#### Report Last Signed By

User: TMSDD89  
Name: Tim Gorden  
E-Mail: timg@sddcleanwater.org  
Date/Time: 2026-02-06 10:42 (Time Zone: -06:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit																				
Permit #:	IL0028321			Permittee:	SANITARY DISTRICT OF DECATUR				Facility:	SANITARY DISTRICT OF DECATUR MAIN STP										
Major:	Yes			Permittee Address:	501 DIPPER LANE DECATUR, IL 62522				Facility Location:	501 DIPPER LANE DECATUR, IL 62522										
Permitted Feature:	A04 External Outfall			Discharge:	A04-0 CSO-LINCOLN PARK CSO TREATMENT BYPASS															
Report Dates & Status																				
Monitoring Period:	From 01/01/26 to 01/31/26			DMR Due Date:	02/25/26				Status:	NetDMR Validated										
Considerations for Form Completion																				
W1370200010 ; RECEIVING WATER:BRIAR CREEK																				
Principal Executive Officer																				
First Name:	Kent			Title:	Executive Director				Telephone:	217-462-9413										
Last Name:	Newton																			
No Data Indicator (NODI)																				
Form NODI:	--																			
Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
74062	Overflows					1 - Effluent Gross	0	--	Sample											
									Permit Req.			Opt Mon MO TOTAL	4K - #/mo							
		Value NODI			C - No Discharge															

#### Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

#### Edit Check Errors

No errors.

#### Comments

No discharge during the month.

#### Attachments

No attachments.

#### Report Last Saved By

#### SANITARY DISTRICT OF DECATUR

User: keithrsdd  
Name: Keith Richard  
E-Mail: keithr@sddcleanwater.org  
Date/Time: 2026-02-06 09:15 (Time Zone: -06:00)

#### Report Last Signed By

User: TMSDD89  
Name: Tim Gorden  
E-Mail: timg@sddcleanwater.org  
Date/Time: 2026-02-06 10:42 (Time Zone: -06:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit																				
Permit #:	IL0028321			Permittee:	SANITARY DISTRICT OF DECATUR			Facility:	SANITARY DISTRICT OF DECATUR MAIN STP											
Major:	Yes			Permittee Address:	501 DIPPER LANE DECATUR, IL 62522			Facility Location:	501 DIPPER LANE DECATUR, IL 62522											
Permitted Feature:	A06 External Outfall			Discharge:	A06-0 CSO-FAIRVIEW PARK CSO															
Report Dates & Status																				
Monitoring Period:	From 01/01/26 to 01/31/26			DMR Due Date:	02/25/26			Status:	NetDMR Validated											
Considerations for Form Completion																				
W1370200010 ; RECEIVING WATER:BRIAR CREEK																				
Principal Executive Officer																				
First Name:	Kent			Title:	Executive Director			Telephone:	217-462-9413											
Last Name:	Newton																			
No Data Indicator (NODI)																				
Form NODI:	--																			
Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
74062	Overflows					Sample														
						Permit Req.			Opt Mon MO TOTAL	4K - #/mo										
		Value NODI			C - No Discharge															

#### Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

#### Edit Check Errors

No errors.

#### Comments

No discharge during the month.

#### Attachments

No attachments.

#### Report Last Saved By

##### SANITARY DISTRICT OF DECATUR

User: keithrsdd  
Name: Keith Richard  
E-Mail: keithr@sddcleanwater.org  
Date/Time: 2026-02-06 09:16 (Time Zone: -06:00)

#### Report Last Signed By

User: TIMSDD89  
Name: Tim Gorden  
E-Mail: timg@sddcleanwater.org  
Date/Time: 2026-02-06 10:42 (Time Zone: -06:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit																				
Permit #:	IL0028321			Permittee:	SANITARY DISTRICT OF DECATUR				Facility:	SANITARY DISTRICT OF DECATUR MAIN STP										
Major:	Yes			Permittee Address:	501 DIPPER LANE DECATUR, IL 62522				Facility Location:	501 DIPPER LANE DECATUR, IL 62522										
Permitted Feature:	A07 External Outfall			Discharge:	A07-0 CSO-MCKINLEY AVE CSO TREATMENT BYPASS															
Report Dates & Status																				
Monitoring Period:	From 01/01/26 to 01/31/26			DMR Due Date:	02/25/26				Status:	NetDMR Validated										
Considerations for Form Completion																				
W1370200010 ; RECEIVING WATER:BRIAR CREEK																				
Principal Executive Officer																				
First Name:	Kent			Title:	Executive Director				Telephone:	217-462-9413										
Last Name:	Newton																			
No Data Indicator (NODI)																				
Form NODI:	--																			
Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
74062	Overflows					Sample														
						Permit Req.			Opt Mon MO TOTAL	4K - #/mo										
		Value NODI			C - No Discharge															

#### Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

#### Edit Check Errors

No errors.

#### Comments

No discharge during the month.

#### Attachments

No attachments.

#### Report Last Saved By

#### SANITARY DISTRICT OF DECATUR

User: keithrsdd  
Name: Keith Richard  
E-Mail: keithr@sddcleanwater.org  
Date/Time: 2026-02-06 09:16 (Time Zone: -06:00)

#### Report Last Signed By

User: TMSDD89  
Name: Tim Gorden  
E-Mail: timg@sddcleanwater.org  
Date/Time: 2026-02-06 10:42 (Time Zone: -06:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

<b>Permit</b>																																																																																		
Permit #:	IL0028321		Permittee:	SANITARY DISTRICT OF DECATUR					Facility:	SANITARY DISTRICT OF DECATUR MAIN STP																																																																								
Major:	Yes		Permittee Address:	501 DIPPER LANE DECATUR, IL 62522					Facility Location:	501 DIPPER LANE DECATUR, IL 62522																																																																								
Permitted Feature:	A08 External Outfall		Discharge:	A08-0 CSO-SEVENTH WARD CSO TREATMENT BYPASS																																																																														
<b>Report Dates &amp; Status</b>																																																																																		
Monitoring Period:	From 01/01/26 to 01/31/26		DMR Due Date:	02/25/26					Status:	NetDMR Validated																																																																								
<b>Considerations for Form Completion</b>																																																																																		
W1370200010 ; RECEIVING WATER:BRIAR CREEK																																																																																		
<b>Principal Executive Officer</b>																																																																																		
First Name:	Kent		Title:	Executive Director					Telephone:	217-462-9413																																																																								
Last Name:	Newton																																																																																	
<b>No Data Indicator (NODI)</b>																																																																																		
Form NODI:	--																																																																																	
<table border="1"> <thead> <tr> <th colspan="2">Parameter</th> <th rowspan="4">Monitoring Location</th> <th rowspan="4">Season #</th> <th rowspan="4">Param. NODI</th> <th rowspan="4"></th> <th colspan="5">Quantity or Loading</th> <th colspan="5">Quality or Concentration</th> <th rowspan="4"># of Ex.</th> <th rowspan="4">Frequency of Analysis</th> <th rowspan="4">Sample Type</th> </tr> <tr> <th>Code</th> <th>Name</th> <th>Qualifier 1</th> <th>Value 1</th> <th>Qualifier 2</th> <th>Value 2</th> <th>Units</th> <th>Qualifier 1</th> <th>Value 1</th> <th>Qualifier 2</th> <th>Value 2</th> <th>Qualifier 3</th> <th>Value 3</th> <th>Units</th> </tr> </thead> <tbody> <tr> <td rowspan="3">74062</td> <td rowspan="3">Overflows</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Permit Req.</td> <td></td> <td></td> <td>Opt Mon MO TOTAL</td> <td>4K - #/mo</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Value NODI</td> <td></td> <td></td> <td>C - No Discharge</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>												Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	Code	Name	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	74062	Overflows	1 - Effluent Gross	0	--	Sample									Permit Req.			Opt Mon MO TOTAL	4K - #/mo								Value NODI			C - No Discharge								
Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type																																																														
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2								Value 2	Qualifier 3	Value 3	Units																																																										
74062	Overflows					1 - Effluent Gross	0	--	Sample																																																																									
									Permit Req.			Opt Mon MO TOTAL	4K - #/mo																																																																					
		Value NODI			C - No Discharge																																																																													

**Submission Note**

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**

No errors.

**Comments**

No discharge during the month.

**Attachments**

No attachments.

**Report Last Saved By****SANITARY DISTRICT OF DECATUR**

User: keithrsdd  
Name: Keith Richard  
E-Mail: keithr@sddcleanwater.org  
Date/Time: 2026-02-06 09:17 (Time Zone: -06:00)

**Report Last Signed By**

User: TMSDD89  
Name: Tim Gorden  
E-Mail: timg@sddcleanwater.org  
Date/Time: 2026-02-06 10:42 (Time Zone: -06:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit																																																																																																						
Permit #:	IL0028321	Permittee:	SANITARY DISTRICT OF DECATUR					Facility:	SANITARY DISTRICT OF DECATUR MAIN STP																																																																																													
Major:	Yes	Permittee Address:	501 DIPPER LANE DECATUR, IL 62522					Facility Location:	501 DIPPER LANE DECATUR, IL 62522																																																																																													
Permitted Feature:	INF Influent Structure	Discharge:	INF-G INFLUENT FLOW FROM GROUNDWATER DEWATERING SYSTEM																																																																																																			
Report Dates & Status																																																																																																						
Monitoring Period:	From 01/01/26 to 01/31/26		DMR Due Date:	02/25/26		Status:		NetDMR Validated																																																																																														
Considerations for Form Completion																																																																																																						
Principal Executive Officer																																																																																																						
First Name:	Kent	Title:	Executive Director					Telephone:	217-462-9413																																																																																													
Last Name:	Newton																																																																																																					
No Data Indicator (NODI)																																																																																																						
Form NODI:	--																																																																																																					
<table border="1"> <thead> <tr> <th colspan="2">Parameter</th> <th rowspan="2">Monitoring Location</th> <th rowspan="2">Season #</th> <th rowspan="2">Param. NODI</th> <th rowspan="2"></th> <th colspan="5">Quantity or Loading</th> <th colspan="5">Quality or Concentration</th> <th rowspan="2"># of Ex.</th> <th rowspan="2">Frequency of Analysis</th> <th rowspan="2">Sample Type</th> </tr> <tr> <th>Code</th> <th>Name</th> <th>Qualifier 1</th> <th>Value 1</th> <th>Qualifier 2</th> <th>Value 2</th> <th>Units</th> <th>Qualifier 1</th> <th>Value 1</th> <th>Qualifier 2</th> <th>Value 2</th> <th>Qualifier 3</th> <th>Value 3</th> <th>Units</th> </tr> </thead> <tbody> <tr> <td>50050</td> <td>Flow, in conduit or thru treatment plant</td> <td>1 - Effluent Gross</td> <td>0</td> <td>--</td> <td>Sample</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Permit Req.</td> <td></td> <td>Req Mon MO AVG</td> <td></td> <td>Req Mon DAILY MX</td> <td></td> <td>03 - MGD</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Value NODI</td> <td></td> <td>Q - Not Quantifiable</td> <td></td> <td>Q - Not Quantifiable</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>															Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	Code	Name	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample																		Permit Req.		Req Mon MO AVG		Req Mon DAILY MX		03 - MGD													Value NODI		Q - Not Quantifiable		Q - Not Quantifiable								
Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration					# of Ex.					Frequency of Analysis	Sample Type																																																																																
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3		Value 3	Units																																																																																				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample																																																																																																	
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX		03 - MGD																																																																																											
					Value NODI		Q - Not Quantifiable		Q - Not Quantifiable																																																																																													
99/99 - Continuous																																																																																																						
Submission Note																																																																																																						
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																																																																																																						
Edit Check Errors																																																																																																						
No errors.																																																																																																						
Comments																																																																																																						
Existing infrastructure does not allow for measurement of flow.																																																																																																						
Attachments																																																																																																						
No attachments.																																																																																																						
Report Last Saved By																																																																																																						
SANITARY DISTRICT OF DECATUR																																																																																																						
User:	keithrsdd																																																																																																					
Name:	Keith Richard																																																																																																					
E-Mail:	keithr@sddcleanwater.org																																																																																																					
Date/Time:	2026-02-06 09:17 (Time Zone: -06:00)																																																																																																					
Report Last Signed By																																																																																																						
User:	TIMSDD89																																																																																																					
Name:	Tim Gorden																																																																																																					
E-Mail:	timg@sddcleanwater.org																																																																																																					
Date/Time:	2026-02-06 10:42 (Time Zone: -06:00)																																																																																																					

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit																																																																																																																																																																																																																																																																																																																																																																																																								
Permit #:	IL0028321	Permittee:	SANITARY DISTRICT OF DECATUR					Facility:	SANITARY DISTRICT OF DECATUR MAIN STP																																																																																																																																																																																																																																																																																																																																																																																															
Major:	Yes	Permittee Address:	501 DIPPER LANE DECATUR, IL 62522					Facility Location:	501 DIPPER LANE DECATUR, IL 62522																																																																																																																																																																																																																																																																																																																																																																																															
Permitted Feature:	INF Influent Structure	Discharge:	INF-L INFLUENT REPORTING																																																																																																																																																																																																																																																																																																																																																																																																					
Report Dates & Status																																																																																																																																																																																																																																																																																																																																																																																																								
Monitoring Period:	From 01/01/26 to 01/31/26	DMR Due Date:	02/25/26					Status:	NetDMR Validated																																																																																																																																																																																																																																																																																																																																																																																															
Considerations for Form Completion																																																																																																																																																																																																																																																																																																																																																																																																								
W1150150004																																																																																																																																																																																																																																																																																																																																																																																																								
Principal Executive Officer																																																																																																																																																																																																																																																																																																																																																																																																								
First Name:	Kent	Title:	Executive Director					Telephone:	217-462-9413																																																																																																																																																																																																																																																																																																																																																																																															
Last Name:	Newton																																																																																																																																																																																																																																																																																																																																																																																																							
No Data Indicator (NODI)																																																																																																																																																																																																																																																																																																																																																																																																								
Form NODI:	--																																																																																																																																																																																																																																																																																																																																																																																																							
<table border="1"> <thead> <tr> <th colspan="2">Parameter</th> <th rowspan="2">Monitoring Location</th> <th rowspan="2">Season #</th> <th rowspan="2">Param. NODI</th> <th rowspan="2"></th> <th colspan="3">Quantity or Loading</th> <th colspan="4">Quality or Concentration</th> <th rowspan="2"># of Ex.</th> <th rowspan="2">Frequency of Analysis</th> <th rowspan="2">Sample Type</th> </tr> <tr> <th>Code</th> <th>Name</th> <th>Qualifier 1</th> <th>Value 1</th> <th>Qualifier 2</th> <th>Value 2</th> <th>Units</th> <th>Qualifier 1</th> <th>Value 1</th> <th>Qualifier 2</th> <th>Value 2</th> <th>Qualifier 3</th> <th>Value 3</th> <th>Units</th> </tr> </thead> <tbody> <tr> <td rowspan="3">00310</td> <td rowspan="3">BOD, 5-day, 20 deg. C</td> <td rowspan="3">G - Raw Sewage Influent</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td>=</td> <td>113.0</td> <td></td> <td></td> <td></td> <td>19 - mg/L</td> <td rowspan="3">02/DA - 2 Days Every Week</td> <td rowspan="3">CP - Composite</td> </tr> <tr> <td>Permit Req.</td> <td></td> <td>19 - mg/L</td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">00530</td> <td rowspan="3">Solids, total suspended</td> <td rowspan="3">G - Raw Sewage Influent</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td>=</td> <td>179.0</td> <td></td> <td></td> <td></td> <td>19 - mg/L</td> <td rowspan="3">02/DA - 2 Days Every Week</td> <td rowspan="3">CP - Composite</td> </tr> <tr> <td>Permit Req.</td> <td></td> <td>19 - mg/L</td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">00665</td> <td rowspan="3">Phosphorus, total [as P]</td> <td rowspan="3">G - Raw Sewage Influent</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td></td> <td></td> <td></td> <td>=</td> <td>23.4</td> <td>=</td> <td>25.8</td> <td></td> <td>19 - mg/L</td> <td rowspan="3">02/DA - 2 Days Every Week</td> <td rowspan="3">CP - Composite</td> </tr> <tr> <td>Permit Req.</td> <td></td> <td>19 - mg/L</td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">50050</td> <td rowspan="3">Flow, in conduit or thru treatment plant</td> <td rowspan="3">G - Raw Sewage Influent</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td>=</td> <td>29.97</td> <td>=</td> <td>32.69</td> <td>03 - MGD</td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">99/99 - Continuous</td> <td rowspan="3">RT - Recorder Total</td> </tr> <tr> <td>Permit Req.</td> <td></td> <td>Req Mon MO AVG</td> <td></td> <td>Req Mon DAILY MX</td> <td>03 - MGD</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <th colspan="12">Submission Note</th> </tr> <tr> <td colspan="12">If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.</td> </tr> <tr> <th colspan="12">Edit Check Errors</th> </tr> <tr> <td colspan="12">No errors.</td> </tr> <tr> <th colspan="12">Comments</th> </tr> <tr> <th colspan="12">Attachments</th> </tr> <tr> <td colspan="12">No attachments.</td> </tr> <tr> <th colspan="12">Report Last Saved By</th> </tr> <tr> <td colspan="12">SANITARY DISTRICT OF DECATUR</td> </tr> <tr> <td>User:</td> <td colspan="11">keithrsdd</td> </tr> <tr> <td>Name:</td> <td colspan="11">Keith Richard</td> </tr> <tr> <td>E-Mail:</td> <td colspan="11">keithr@sddcleanwater.org</td> </tr> <tr> <td>Date/Time:</td> <td colspan="11">2026-02-06 09:18 (Time Zone: -06:00)</td> </tr> <tr> <th colspan="12">Report Last Signed By</th> </tr> <tr> <td>User:</td> <td colspan="11">TIMSDD89</td> </tr> </tbody> </table>												Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading			Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type	Code	Name	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	00310	BOD, 5-day, 20 deg. C	G - Raw Sewage Influent	0	--	Sample				=	113.0				19 - mg/L	02/DA - 2 Days Every Week	CP - Composite	Permit Req.												19 - mg/L	Value NODI													00530	Solids, total suspended	G - Raw Sewage Influent	0	--	Sample				=	179.0				19 - mg/L	02/DA - 2 Days Every Week	CP - Composite	Permit Req.												19 - mg/L	Value NODI													00665	Phosphorus, total [as P]	G - Raw Sewage Influent	0	--	Sample				=	23.4	=	25.8		19 - mg/L	02/DA - 2 Days Every Week	CP - Composite	Permit Req.												19 - mg/L	Value NODI													50050	Flow, in conduit or thru treatment plant	G - Raw Sewage Influent	0	--	Sample	=	29.97	=	32.69	03 - MGD					99/99 - Continuous	RT - Recorder Total	Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							Value NODI													Submission Note												If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.												Edit Check Errors												No errors.												Comments												Attachments												No attachments.												Report Last Saved By												SANITARY DISTRICT OF DECATUR												User:	keithrsdd											Name:	Keith Richard											E-Mail:	keithr@sddcleanwater.org											Date/Time:	2026-02-06 09:18 (Time Zone: -06:00)											Report Last Signed By												User:	TIMSDD89										
Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading			Quality or Concentration				# of Ex.					Frequency of Analysis	Sample Type																																																																																																																																																																																																																																																																																																																																																																																					
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1		Qualifier 2	Value 2	Qualifier 3	Value 3			Units																																																																																																																																																																																																																																																																																																																																																																																				
00310	BOD, 5-day, 20 deg. C	G - Raw Sewage Influent	0	--	Sample				=	113.0				19 - mg/L	02/DA - 2 Days Every Week	CP - Composite																																																																																																																																																																																																																																																																																																																																																																																								
					Permit Req.														19 - mg/L																																																																																																																																																																																																																																																																																																																																																																																					
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																			
00530	Solids, total suspended	G - Raw Sewage Influent	0	--	Sample				=	179.0				19 - mg/L	02/DA - 2 Days Every Week	CP - Composite																																																																																																																																																																																																																																																																																																																																																																																								
					Permit Req.														19 - mg/L																																																																																																																																																																																																																																																																																																																																																																																					
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																			
00665	Phosphorus, total [as P]	G - Raw Sewage Influent	0	--	Sample				=	23.4	=	25.8		19 - mg/L	02/DA - 2 Days Every Week	CP - Composite																																																																																																																																																																																																																																																																																																																																																																																								
					Permit Req.														19 - mg/L																																																																																																																																																																																																																																																																																																																																																																																					
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																			
50050	Flow, in conduit or thru treatment plant	G - Raw Sewage Influent	0	--	Sample	=	29.97	=	32.69	03 - MGD					99/99 - Continuous	RT - Recorder Total																																																																																																																																																																																																																																																																																																																																																																																								
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD																																																																																																																																																																																																																																																																																																																																																																																														
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																			
Submission Note																																																																																																																																																																																																																																																																																																																																																																																																								
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																																																																																																																																																																																																																																																																																																																																																																																																								
Edit Check Errors																																																																																																																																																																																																																																																																																																																																																																																																								
No errors.																																																																																																																																																																																																																																																																																																																																																																																																								
Comments																																																																																																																																																																																																																																																																																																																																																																																																								
Attachments																																																																																																																																																																																																																																																																																																																																																																																																								
No attachments.																																																																																																																																																																																																																																																																																																																																																																																																								
Report Last Saved By																																																																																																																																																																																																																																																																																																																																																																																																								
SANITARY DISTRICT OF DECATUR																																																																																																																																																																																																																																																																																																																																																																																																								
User:	keithrsdd																																																																																																																																																																																																																																																																																																																																																																																																							
Name:	Keith Richard																																																																																																																																																																																																																																																																																																																																																																																																							
E-Mail:	keithr@sddcleanwater.org																																																																																																																																																																																																																																																																																																																																																																																																							
Date/Time:	2026-02-06 09:18 (Time Zone: -06:00)																																																																																																																																																																																																																																																																																																																																																																																																							
Report Last Signed By																																																																																																																																																																																																																																																																																																																																																																																																								
User:	TIMSDD89																																																																																																																																																																																																																																																																																																																																																																																																							

Name:

Tim Gorden

E-Mail:

timg@sddcleanwater.org

Date/Time:

2026-02-06 10:42 (Time Zone: -06:00)