

**DMR Copy of Record**

<b>Permit</b>					
Permit #:	IL0028321	Permittee:	DECATUR SD MAIN STP	Facility:	DECATUR SD MAIN STP
Major:	Yes	Permittee Address:	501 DIPPER LANE DECATUR, IL 62522	Facility Location:	501 DIPPER LANE DECATUR, IL 62522
Permitted Feature:	001 External Outfall	Discharge:	001-0 STP OUTFALL		

<b>Report Dates &amp; Status</b>					
Monitoring Period:	From 01/01/14 to 01/31/14	DMR Due Date:	02/15/14	Status:	NetDMR Validated

**Considerations for Form Completion**  
DMF LOAD LIMITS DISPLAYED.

<b>Principal Executive Officer</b>					
First Name:	Monte	Title:	Executive Director	Telephone:	217-422-6931
Last Name:	Cherry				

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00300	Oxygen, dissolved [DO]	1 - Effluent Gross	0	--	Sample	=	8.74								19 - mg/L	02/DA - 2 Days Every Week	GR - GRAB	
					Permit Req.	>=	6 MINIMUM								19 - mg/L	02/DA - 2 Days Every Week	GR - GRAB	
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample	=	8.21				=	8.5			12 - SU	02/DA - 2 Days Every Week	GR - GRAB	
					Permit Req.	>=	6 MINIMUM			<=	9 MAXIMUM			12 - SU	02/DA - 2 Days Every Week	GR - GRAB		
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	843	=	1025	26 - lb/d	=	4	=	6	19 - mg/L	02/DA - 2 Days Every Week	CP - COMPOS	
					Permit Req.	<=	26063 MO AVG	<=	46913 WKLY AVG	26 - lb/d	<=	25 MO AVG	<=	45 WKLY AVG	19 - mg/L	02/DA - 2 Days Every Week	CP - COMPOS	
					Value NODI													
00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	0	--	Sample	=	29	=	49	26 - lb/d	=	0.15	=	0.24	19 - mg/L	02/DA - 2 Days Every Week	CP - COMPOS	
					Permit Req.	<=	1564 MO AVG	<=	3128 DAILY MX	26 - lb/d	<=	1.5 MO AVG	<=	3 DAILY MX	19 - mg/L	02/DA - 2 Days Every Week	CP - COMPOS	
					Value NODI													
X 01067	Nickel, total [as Ni]	1 - Effluent Gross	0	--	Sample	=	6.6			26 - lb/d	=	0.33			19 - mg/L	05/DW - 5 Days Every Week	CP - COMPOS	
					Permit Req.	<=	16 MO AVG			26 - lb/d	<=	.015 MO AVG			19 - mg/L	05/DW - 5 Days Every Week	CP - COMPOS	
					Value NODI													
01092	Zinc, total [as Zn]	1 - Effluent Gross	0	--	Sample	=	4.9	=	7.2	26 - lb/d	=	0.025	=	0.042	19 - mg/L	05/DW - 5 Days Every Week	CP - COMPOS	
					Permit Req.	<=	78 MO AVG	<=	434 DAILY MX	26 - lb/d	<=	.075 MO AVG	<=	.416 DAILY MX	19 - mg/L	05/DW - 5 Days Every Week	CP - COMPOS	
					Value NODI													
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample	=	25.04	=	50.21	03 - MGD						99/99 - Continuous		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD						0	99/99 - Continuous	
					Value NODI													
50060	Chlorine, total residual	1 - Effluent Gross	0	--	Sample													
					Permit Req.								<=	.05 DAILY MX	19 - mg/L	09/99 - See Permit	GR - GRAB	
					Value NODI									9 - Conditional Monitoring - Not Required This Period				
80082	BOD, carbonaceous, 05 day, 20 C	1 - Effluent Gross	0	--	Sample	=	726	=	1049	26 - lb/d	=	4	=	6	19 - mg/L	02/DA - 2 Days Every Week	CP - COMPOS	
					Permit Req.	<=	20850 MO AVG	<=	41700 WKLY AVG	26 - lb/d	<=	20 MO AVG	<=	40 WKLY AVG	19 - mg/L	02/DA - 2 Days Every Week	CP - COMPOS	
					Value NODI													

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

<b>Edit Check Errors</b>						
Code	Parameter Name	Monitoring Location	Field	Type	Description	Acknowledge
01067	Nickel, total [as Ni]	1 - Effluent Gross	Quality or Concentration Sample Value 2	Soft	The provided sample value is outside the permit limit. (Error Code: 1)	Yes

**Comments**  
Zinc and Nickel limits not in effect due to variance granted in PCB 2009-125.

**Attachments**  
No attachments.

**Report Last Saved By**  
DECATUR SD MAIN STP

User:	timk@sddcleanwater.org	Date/Time:	2014-02-13 09:55 (Time Zone: -06:00)
Name:	Tim Kluge		
E-Mail:	timk@sddcleanwater.org		



## DMR Copy of Record

Permit																			
Permit #:	IL0028321	Permittee:	DECATUR SD MAIN STP	Facility:	DECATUR SD MAIN STP														
Major:	Yes	Permittee Address:	501 DIPPER LANE DECATUR, IL 62522	Facility Location:	501 DIPPER LANE DECATUR, IL 62522														
Permitted Feature:	INF Influent Structure	Discharge:	INF-L INFLUENT REPORTING																
Report Dates & Status																			
Monitoring Period:	From 01/01/14 to 01/31/14	DMR Due Date:	02/15/14	Status:	NetDMR Validated														
Considerations for Form Completion																			
GF																			
Principal Executive Officer																			
First Name:	Monte	Title:	Executive Director	Telephone:	217-422-6931														
Last Name:	Cherry																		
No Data Indicator (NODI)																			
Form NODI:	--																		
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00310	BOD, 5-day, 20 deg. C	G - Raw Sewage Influent	0	--	Sample					=	108					19 - mg/L	02/DA - 2 Days Every Week	CP - COMPOS	
					Permit Req.											19 - mg/L	02/DA - 2 Days Every Week	CP - COMPOS	
					Value NODI														
00530	Solids, total suspended	G - Raw Sewage Influent	0	--	Sample					=	147					19 - mg/L	02/DA - 2 Days Every Week	CP - COMPOS	
					Permit Req.											19 - mg/L	02/DA - 2 Days Every Week	CP - COMPOS	
					Value NODI														
50050	Flow, in conduit or thru treatment plant	G - Raw Sewage Influent	0	--	Sample	=	24.28	=	48.94	03 - MGD							99/99 - Continuous	RT - RCOTOT	
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							99/99 - Continuous	RT - RCOTOT	
					Value NODI														
Submission Note																			
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																			
Edit Check Errors																			
No errors.																			
Comments																			
Attachments																			
No attachments.																			
Report Last Saved By																			
DECATUR SD MAIN STP																			
User:	timk@sddcleanwater.org	Date/Time:	2014-02-13 09:59 (Time Zone: -06:00)																
Name:	Tim Kluge																		
E-Mail:	timk@sddcleanwater.org																		

## DMR Copy of Record

Parameter		Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
Code	Name				Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units				
<b>Permit</b>																				
Permit #:	IL0028321	Permittee:	DECATUR SD MAIN STP					Facility:	DECATUR SD MAIN STP											
Major:	Yes	Permittee Address:	501 DIPPER LANE DECATUR, IL 62522					Facility Location:	501 DIPPER LANE DECATUR, IL 62522											
Permitted Feature:	003 External Outfall	Discharge:	003-0 TREATED CSO-OAKLAND AVENUE																	
<b>Report Dates &amp; Status</b>																				
Monitoring Period:	From 01/01/14 to 01/31/14					DMR Due Date:	02/15/14					Status:	NetDMR Validated							
<b>Considerations for Form Completion</b>																				
RECEIVING WATER: SANGAMON RIVER NUMBER OF DAYS OF DISCHARGE: GF																				
<b>Principal Executive Officer</b>																				
First Name:	Monte					Title:	Executive Director					Telephone:	217-422-6931							
Last Name:	Cherry																			
<b>No Data Indicator (NODI)</b>																				
Form NODI:	--																			
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--	Sample					=	73					19 - mg/L	0	DL/DS - Daily When Discharging	CP - COMPOS	
					Permit Req.											19 - mg/L		DL/DS - Daily When Discharging	GR - GRAB	
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample					=	7.42			=	7.42	12 - SU	0	DL/DS - Daily When Discharging	CP - COMPOS	
					Permit Req.					>=	6 MINIMUM			<=	9 MAXIMUM	12 - SU		DL/DS - Daily When Discharging	GR - GRAB	
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	212					19 - mg/L	0	DL/DS - Daily When Discharging	CP - COMPOS	
					Permit Req.											19 - mg/L		DL/DS - Daily When Discharging	GR - GRAB	
					Value NODI															
82220	Flow, total	1 - Effluent Gross	0	--	Sample		=	0.3	80 - Mgal/mo								0	DL/DS - Daily When Discharging	CN - CONTIN	
					Permit Req.				Req Mon MO TOTAL 80 - Mgal/mo									DL/DS - Daily When Discharging	CN - CONTIN	
					Value NODI															
<b>Submission Note</b>																				
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																				
<b>Edit Check Errors</b>																				
No errors.																				
<b>Comments</b>																				
Number of days of discharge: 1																				
<b>Attachments</b>																				
No attachments.																				
<b>Report Last Saved By</b>																				
DECATUR SD MAIN STP																				
User:	timk@sddcleanwater.org					Date/Time:	2014-02-13 10:29 (Time Zone: -06:00)													
Name:	Tim Kluge																			
E-Mail:	timk@sddcleanwater.org																			

# DMR Copy of Record

<b>Permit</b>																																																																																																																																																																																																																																																																																
Permit #: <b>IL0028321</b>	Permittee: <b>DECATUR SD MAIN STP</b>																																																																																																																																																																																																																																																																															
Major: <b>Yes</b>	Permittee Address: <b>501 DIPPER LANE DECATUR, IL 62522</b>																																																																																																																																																																																																																																																																															
Permitted Feature: <b>004 External Outfall</b>	Discharge: <b>004-0 TREATED CSO-SOUTH EDWARD ST</b>																																																																																																																																																																																																																																																																															
Facility: <b>DECATUR SD MAIN STP</b>																																																																																																																																																																																																																																																																																
Facility Location: <b>501 DIPPER LANE DECATUR, IL 62522</b>																																																																																																																																																																																																																																																																																
<b>Report Dates &amp; Status</b>																																																																																																																																																																																																																																																																																
Monitoring Period: <b>From 01/01/14 to 01/31/14</b>	DMR Due Date: <b>02/15/14</b>																																																																																																																																																																																																																																																																															
Status: <b>NetDMR Validated</b>																																																																																																																																																																																																																																																																																
<b>Considerations for Form Completion</b>																																																																																																																																																																																																																																																																																
RECEIVING WATER: SANGAMON RIVER NUMBER OF DAYS OF DISCHARGE: GF																																																																																																																																																																																																																																																																																
<b>Principal Executive Officer</b>																																																																																																																																																																																																																																																																																
First Name: <b>Monte</b>	Title: <b>Executive Director</b>																																																																																																																																																																																																																																																																															
Last Name: <b>Cherry</b>	Telephone: <b>217-422-6931</b>																																																																																																																																																																																																																																																																															
<b>No Data Indicator (NODI)</b>																																																																																																																																																																																																																																																																																
Form NODI: <b>--</b>																																																																																																																																																																																																																																																																																
<table border="1"> <thead> <tr> <th rowspan="2">Code</th> <th rowspan="2">Parameter Name</th> <th rowspan="2">Monitoring Location</th> <th rowspan="2">Season #</th> <th rowspan="2">Param. NODI</th> <th colspan="5">Quantity or Loading</th> <th colspan="6">Quality or Concentration</th> <th rowspan="2"># of Ex.</th> <th rowspan="2">Frequency of Analysis</th> <th rowspan="2">Sample Type</th> </tr> <tr> <th>Qualifier 1</th> <th>Value 1</th> <th>Qualifier 2</th> <th>Value 2</th> <th>Units</th> <th>Qualifier 1</th> <th>Value 1</th> <th>Qualifier 2</th> <th>Value 2</th> <th>Qualifier 3</th> <th>Value 3</th> <th>Units</th> </tr> </thead> <tbody> <tr> <td>00310</td> <td>BOD, 5-day, 20 deg. C</td> <td>1 - Effluent Gross</td> <td>0</td> <td>--</td> <td>Sample</td> <td></td><td></td><td></td><td></td><td></td> <td></td><td></td><td></td><td></td><td></td><td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Permit Req.</td> <td></td><td></td><td></td><td></td><td></td> <td></td><td></td><td></td><td></td><td></td><td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Value NODI</td> <td></td><td></td><td></td><td></td><td></td> <td></td><td></td><td></td><td></td><td></td><td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>00400</td> <td>pH</td> <td>1 - Effluent Gross</td> <td>0</td> <td>--</td> <td>Sample</td> <td></td><td></td><td></td><td></td><td></td> <td></td><td></td><td></td><td></td><td></td><td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Permit Req.</td> <td></td><td></td><td></td><td></td><td></td> <td>&gt;=</td><td>6 MINIMUM</td><td></td><td></td><td>&lt;=</td><td>9 MAXIMUM</td> <td>12 - SU</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Value NODI</td> <td></td><td></td><td></td><td></td><td></td> <td></td><td>C - No Discharge</td><td></td><td></td><td></td><td>C - No Discharge</td> <td></td> <td></td> <td></td> </tr> <tr> <td>00530</td> <td>Solids, total suspended</td> <td>1 - Effluent Gross</td> <td>0</td> <td>--</td> <td>Sample</td> <td></td><td></td><td></td><td></td><td></td> <td></td><td></td><td></td><td></td><td></td><td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Permit Req.</td> <td></td><td></td><td></td><td></td><td></td> <td></td><td></td><td></td><td></td><td></td><td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Value NODI</td> <td></td><td></td><td></td><td></td><td></td> <td></td><td></td><td></td><td></td><td></td><td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>82220</td> <td>Flow, total</td> <td>1 - Effluent Gross</td> <td>0</td> <td>--</td> <td>Sample</td> <td></td><td></td><td></td><td></td><td></td> <td></td><td></td><td></td><td></td><td></td><td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Permit Req.</td> <td></td><td></td><td></td><td></td><td></td> <td></td><td></td><td></td><td></td><td></td><td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Value NODI</td> <td></td><td></td><td></td><td></td><td></td> <td></td><td></td><td></td><td></td><td></td><td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>		Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--	Sample																				Permit Req.																				Value NODI															00400	pH	1 - Effluent Gross	0	--	Sample																				Permit Req.						>=	6 MINIMUM			<=	9 MAXIMUM	12 - SU								Value NODI							C - No Discharge				C - No Discharge				00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample																				Permit Req.																				Value NODI															82220	Flow, total	1 - Effluent Gross	0	--	Sample																				Permit Req.																				Value NODI														
Code	Parameter Name						Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type																																																																																																																																																																																																																																																									
		Qualifier 1	Value 1	Qualifier 2	Value 2	Units				Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units																																																																																																																																																																																																																																																																
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--	Sample																																																																																																																																																																																																																																																																											
					Permit Req.																																																																																																																																																																																																																																																																											
					Value NODI																																																																																																																																																																																																																																																																											
00400	pH	1 - Effluent Gross	0	--	Sample																																																																																																																																																																																																																																																																											
					Permit Req.						>=	6 MINIMUM			<=	9 MAXIMUM	12 - SU																																																																																																																																																																																																																																																															
					Value NODI							C - No Discharge				C - No Discharge																																																																																																																																																																																																																																																																
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample																																																																																																																																																																																																																																																																											
					Permit Req.																																																																																																																																																																																																																																																																											
					Value NODI																																																																																																																																																																																																																																																																											
82220	Flow, total	1 - Effluent Gross	0	--	Sample																																																																																																																																																																																																																																																																											
					Permit Req.																																																																																																																																																																																																																																																																											
					Value NODI																																																																																																																																																																																																																																																																											
<b>Submission Note</b>																																																																																																																																																																																																																																																																																
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																																																																																																																																																																																																																																																																																
<b>Edit Check Errors</b>																																																																																																																																																																																																																																																																																
No errors.																																																																																																																																																																																																																																																																																
<b>Comments</b>																																																																																																																																																																																																																																																																																
Number of days of discharge: 0																																																																																																																																																																																																																																																																																
<b>Attachments</b>																																																																																																																																																																																																																																																																																
No attachments.																																																																																																																																																																																																																																																																																
<b>Report Last Saved By</b>																																																																																																																																																																																																																																																																																
<b>DECATUR SD MAIN STP</b>																																																																																																																																																																																																																																																																																
User: <b>timk@sddcleanwater.org</b>	Date/Time: <b>2014-02-13 10:32 (Time Zone: -06:00)</b>																																																																																																																																																																																																																																																																															
Name: <b>Tim Kluge</b>																																																																																																																																																																																																																																																																																
E-Mail: <b>timk@sddcleanwater.org</b>																																																																																																																																																																																																																																																																																

**DMR Copy of Record**

<b>Permit</b>					
Permit #:	IL0028321	Permittee:	DECATUR SD MAIN STP	Facility:	DECATUR SD MAIN STP
Major:	Yes	Permittee Address:	501 DIPPER LANE DECATUR, IL 62522	Facility Location:	501 DIPPER LANE DECATUR, IL 62522
Permitted Feature:	007 External Outfall	Discharge:	007-0 TREATED CSO-MCKINLEY AVENUE		

<b>Report Dates &amp; Status</b>					
Monitoring Period:	From 01/01/14 to 01/31/14	DMR Due Date:	02/15/14	Status:	NetDMR Validated

**Considerations for Form Completion**  
RECEIVING WATER: SANGAMON RIVER NUMBER OF DAYS OF DISCHARGE:GF

<b>Principal Executive Officer</b>					
First Name:	Monte	Title:	Executive Director	Telephone:	217-422-6931
Last Name:	Cherry				

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--	Sample						=	46				19 - mg/L	DL/DS - Daily When Discharging	CP - COMPOS			
					Permit Req.											19 - mg/L	0	DL/DS - Daily When Discharging	GR - GRAB		
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample						=	7.46				12 - SU	DL/DS - Daily When Discharging	CP - COMPOS			
					Permit Req.						>=	6 MINIMUM				<=	9 MAXIMUM	12 - SU	0	DL/DS - Daily When Discharging	GR - GRAB
					Value NODI																
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample						=	252				19 - mg/L	DL/DS - Daily When Discharging	CP - COMPOS			
					Permit Req.											19 - mg/L	0	DL/DS - Daily When Discharging	GR - GRAB		
					Value NODI																
82220	Flow, total	1 - Effluent Gross	0	--	Sample			=	11.07	80 - Mgal/mo							DL/DS - Daily When Discharging	CN - CONTIN			
					Permit Req.					Req Mon MO TOTAL	80 - Mgal/mo						0	DL/DS - Daily When Discharging	CN - CONTIN		
					Value NODI																

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**  
Number of days of discharge: 1

**Attachments**  
No attachments.

**Report Last Saved By**  
**DECATUR SD MAIN STP**

User:	timk@sddcleanwater.org	Date/Time:	2014-02-13 10:37 (Time Zone: -06:00)
Name:	Tim Kluge		
E-Mail:	timk@sddcleanwater.org		

**DMR Copy of Record**

<b>Permit</b>			
Permit #:	IL0028321	Permittee:	DECATUR SD MAIN STP
Major:	Yes	Permittee Address:	501 DIPPER LANE DECATUR, IL 62522
Permitted Feature:	008 External Outfall	Discharge:	008-0 TREATED CSO-SEVENTH WARD
Facility:		Facility:	DECATUR SD MAIN STP
		Facility Location:	501 DIPPER LANE DECATUR, IL 62522

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 01/01/14 to 01/31/14	DMR Due Date:	02/15/14
Status:	NetDMR Validated		

**Considerations for Form Completion**  
RECEIVING WATER: SANGAMON RIVER NUMBER OF DAYS OF DISCHARGE:GF

<b>Principal Executive Officer</b>			
First Name:	Monte	Title:	Executive Director
Last Name:	Cherry	Telephone:	217-422-6931

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--	Sample						=	87				19 - mg/L	DL/DS - Daily When Discharging	CP - COMPOS		
					Permit Req.											19 - mg/L	DL/DS - Daily When Discharging	GR - GRAB		
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample						=	7.8				12 - SU	DL/DS - Daily When Discharging	CP - COMPOS		
					Permit Req.						>=	6 MINIMUM				<=	9 MAXIMUM	12 - SU	DL/DS - Daily When Discharging	GR - GRAB
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample						=	256				19 - mg/L	DL/DS - Daily When Discharging	CP - COMPOS		
					Permit Req.											19 - mg/L	DL/DS - Daily When Discharging	GR - GRAB		
					Value NODI															
82220	Flow, total	1 - Effluent Gross	0	--	Sample			=	0.81	80 - Mgal/mo							DL/DS - Daily When Discharging	CN - CONTIN		
					Permit Req.					Req Mon MO TOTAL	80 - Mgal/mo							DL/DS - Daily When Discharging	CN - CONTIN	
					Value NODI															

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**  
Number of days of discharge: 1

**Attachments**  
No attachments.

**Report Last Saved By**  
**DECATUR SD MAIN STP**

User:	timk@sddcleanwater.org	Date/Time:	2014-02-13 10:46 (Time Zone: -06:00)
Name:	Tim Kluge		
E-Mail:	timk@sddcleanwater.org		

## DMR Copy of Record

Permit																		
Permit #:	IL0028321			Permittee:	DECATUR SD MAIN STP				Facility:	DECATUR SD MAIN STP								
Major:	Yes			Permittee Address:	501 DIPPER LANE DECATUR, IL 62522				Facility Location:	501 DIPPER LANE DECATUR, IL 62522								
Permitted Feature:	A03 External Outfall			Discharge:	A03-0 CSO-OAKLAND AV TRT BYPAS(003A)													
Report Dates & Status																		
Monitoring Period:	From 01/01/14 to 01/31/14			DMR Due Date:	02/15/14				Status:	NetDMR Validated								
Considerations for Form Completion																		
RECEIVING WATER:SANGAMON RIVERGF																		
Principal Executive Officer																		
First Name:	Monte			Title:	Executive Director				Telephone:	217-422-6931								
Last Name:	Cherry																	
No Data Indicator (NODI)																		
Form NODI:	--																	
Parameter Code	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
				Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
74071	Flow	1 - Effluent Gross	0	--														
				Sample Permit Req.				Opt Mon MO TOTAL	4K - #/mo									
				Value NODI				C - No Discharge										
Submission Note																		
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																		
Edit Check Errors																		
No errors.																		
Comments																		
Attachments																		
No attachments.																		
Report Last Saved By																		
DECATUR SD MAIN STP																		
User:	timk@sddcleanwater.org			Date/Time:	2014-02-13 10:48 (Time Zone: -06:00)													
Name:	Tim Kluge																	
E-Mail:	timk@sddcleanwater.org																	



## DMR Copy of Record

Permit																	
Permit #:	IL0028321			Permittee:	DECATUR SD MAIN STP				Facility:	DECATUR SD MAIN STP							
Major:	Yes			Permittee Address:	501 DIPPER LANE DECATUR, IL 62522				Facility Location:	501 DIPPER LANE DECATUR, IL 62522							
Permitted Feature:	A04 External Outfall			Discharge:	A04-0 CSO-S EDWARD ST TRT BYPS(004A)												
Report Dates & Status																	
Monitoring Period:	From 01/01/14 to 01/31/14			DMR Due Date:	02/15/14				Status:	NetDMR Validated							
Considerations for Form Completion																	
RECEIVING WATER:SANGAMON RIVERGF																	
Principal Executive Officer																	
First Name:	Monte			Title:	Executive Director				Telephone:	217-422-6931							
Last Name:	Cherry																
No Data Indicator (NODI)																	
Form NODI:	--																
Parameter Code	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
				Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
74071	Flow	1 - Effluent Gross	0														
				Sample Permit Req. Value NODI				Opt Mon MO TOTAL 4K - #/mo									
								C - No Discharge									
Submission Note																	
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																	
Edit Check Errors																	
No errors.																	
Comments																	
Attachments																	
No attachments.																	
Report Last Saved By																	
DECATUR SD MAIN STP																	
User:	timk@sddcleanwater.org			Date/Time:	2014-02-13 10:52 (Time Zone: -06:00)												
Name:	Tim Kluge																
E-Mail:	timk@sddcleanwater.org																



## DMR Copy of Record

Permit																	
Permit #:	IL0028321			Permittee:	DECATUR SD MAIN STP				Facility:	DECATUR SD MAIN STP							
Major:	Yes			Permittee Address:	501 DIPPER LANE DECATUR, IL 62522				Facility Location:	501 DIPPER LANE DECATUR, IL 62522							
Permitted Feature:	A07 External Outfall			Discharge:	A07-0 CSO-MCKINLEY AV TR BYPAS(007A)												
Report Dates & Status																	
Monitoring Period:	From 01/01/14 to 01/31/14			DMR Due Date:	02/15/14				Status:	NetDMR Validated							
Considerations for Form Completion																	
RECEIVING WATER:UNNAMED TRIB OF SPRING CREEKGF																	
Principal Executive Officer																	
First Name:	Monte			Title:	Executive Director				Telephone:	217-422-6931							
Last Name:	Cherry																
No Data Indicator (NODI)																	
Form NODI:	--																
Parameter Code	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
				Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
74071	Flow	1 - Effluent Gross	0														
				Sample Permit Req.				Opt Mon MO TOTAL	4K - #/mo								
				Value NODI				C - No Discharge									
Submission Note																	
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																	
Edit Check Errors																	
No errors.																	
Comments																	
Attachments																	
No attachments.																	
Report Last Saved By																	
DECATUR SD MAIN STP																	
User:	timk@sddcleanwater.org			Date/Time:	2014-02-13 10:55 (Time Zone: -06:00)												
Name:	Tim Kluge																
E-Mail:	timk@sddcleanwater.org																

## DMR Copy of Record

Permit																	
Permit #:	IL0028321			Permittee:	DECATUR SD MAIN STP				Facility:	DECATUR SD MAIN STP							
Major:	Yes			Permittee Address:	501 DIPPER LANE DECATUR, IL 62522				Facility Location:	501 DIPPER LANE DECATUR, IL 62522							
Permitted Feature:	A08 External Outfall			Discharge:	A08-0 CSO-SEVENTH WARD TR BYPS(008A)												
Report Dates & Status																	
Monitoring Period:	From 01/01/14 to 01/31/14			DMR Due Date:	02/15/14				Status:	NetDMR Validated							
Considerations for Form Completion																	
RECEIVING WATER:SANGAMON RIVERGF																	
Principal Executive Officer																	
First Name:	Monte			Title:	Executive Director				Telephone:	217-422-6931							
Last Name:	Cherry																
No Data Indicator (NODI)																	
Form NODI:	--																
Parameter Code	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
				Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
74071	Flow	1 - Effluent Gross	0														
				Sample Permit Req. Value NODI				Opt Mon MO TOTAL 4K - #/mo									
								C - No Discharge									
Submission Note																	
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																	
Edit Check Errors																	
No errors.																	
Comments																	
Attachments																	
No attachments.																	
Report Last Saved By																	
DECATUR SD MAIN STP																	
User:	timk@sddcleanwater.org			Date/Time:	2014-02-13 10:57 (Time Zone: -06:00)												
Name:	Tim Kluge																
E-Mail:	timk@sddcleanwater.org																