

DMR Copy of Record

Permit					
Permit #:	IL0028321	Permittee:	DECATUR SD MAIN STP	Facility:	DECATUR SD MAIN STP
Major:	Yes	Permittee Address:	501 DIPPER LANE DECATUR, IL 62522	Facility Location:	501 DIPPER LANE DECATUR, IL 62522
Permitted Feature:	001 External Outfall	Discharge:	001-0 STP OUTFALL		

Report Dates & Status					
Monitoring Period:	From 11/01/19 to 11/30/19	DMR Due Date:	12/15/19	Status:	NetDMR Validated

Considerations for Form Completion
DMF LOAD LIMITS DISPLAYED.

Principal Executive Officer					
First Name:	Kent	Title:	Executive Director	Telephone:	217-422-6931
Last Name:	Newton				

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3				Units	
00300	Oxygen, dissolved [DO]	1 - Effluent Gross	0	--	Sample					=	8.2					19 - mg/L	02/DA - 2 Days Every Week	GR - GRAB		
					Permit Req.					>=	6 MINIMUM					19 - mg/L	02/DA - 2 Days Every Week	GR - GRAB		
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample					=	8		=	8.2	12 - SU	02/DA - 2 Days Every Week	GR - GRAB			
					Permit Req.					>=	6 MINIMUM		<=	9 MAXIMUM	12 - SU	02/DA - 2 Days Every Week	GR - GRAB			
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	618	=	805	26 - lb/d		=	2	=	3	19 - mg/L	02/DA - 2 Days Every Week	CP - COMPOS		
					Permit Req.	<=	26063 MO AVG	<=	46913 WKLY AVG	26 - lb/d		<=	25 MO AVG	<=	45 WKLY AVG	19 - mg/L	02/DA - 2 Days Every Week	CP - COMPOS		
					Value NODI															
00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	10	--	Sample	=	32	=	37	26 - lb/d		=	0.12	=	0.12	19 - mg/L	02/DA - 2 Days Every Week	CP - COMPOS		
					Permit Req.	<=	1564 MO AVG	<=	3128 DAILY MX	26 - lb/d		<=	1.5 MO AVG	<=	3 DAILY MX	19 - mg/L	02/DA - 2 Days Every Week	CP - COMPOS		
					Value NODI															
01067	Nickel, total [as Ni]	1 - Effluent Gross	0	--	Sample	=	3.6			26 - lb/d		=	0.014			19 - mg/L	05/DW - 5 Days Every Week	CP - COMPOS		
					Permit Req.	<=	16 MO AVG			26 - lb/d		<=	.015 MO AVG			19 - mg/L	05/DW - 5 Days Every Week	CP - COMPOS		
					Value NODI															
01092	Zinc, total [as Zn]	1 - Effluent Gross	0	--	Sample	=	4	=	6.6	26 - lb/d		=	0.015	=	0.022	19 - mg/L	05/DW - 5 Days Every Week	CP - COMPOS		
					Permit Req.	<=	78 MO AVG	<=	434 DAILY MX	26 - lb/d		<=	.075 MO AVG	<=	.416 DAILY MX	19 - mg/L	05/DW - 5 Days Every Week	CP - COMPOS		
					Value NODI															
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample	=	34.32	=	68.92	03 - MGD							99/99 - Continuous			
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD								0	99/99 - Continuous	
					Value NODI															
50060	Chlorine, total residual	1 - Effluent Gross	0	--	Sample							<	0.011			19 - mg/L	09/99 - See Permit	GR - GRAB		
					Permit Req.							<=	.05 DAILY MX			19 - mg/L	09/99 - See Permit	GR - GRAB		
					Value NODI															
80082	BOD, carbonaceous [5 day, 20 C]	1 - Effluent Gross	0	--	Sample	=	687	=	945	26 - lb/d		=	3	=	3	19 - mg/L	02/DA - 2 Days Every Week	CP - COMPOS		
					Permit Req.	<=	20850 MO AVG	<=	41700 WKLY AVG	26 - lb/d		<=	20 MO AVG	<=	40 WKLY AVG	19 - mg/L	02/DA - 2 Days Every Week	CP - COMPOS		
					Value NODI															

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments
No attachments.

Report Last Saved By
DECATUR SD MAIN STP

User: charlestdnac
Name: David Collard
E-Mail: davidc@sddcleanwater.org
Date/Time: 2019-12-11 15:12 (Time Zone: -06:00)

Report Last Signed By

User: charlestoneDAC
Name: David Collard
E-Mail: davidc@sddcleanwater.org
Date/Time: 2019-12-11 15:13 (Time Zone: -06:00)

DMR Copy of Record

Permit			
Permit #:	IL0028321	Permittee:	DECATUR SD MAIN STP
Major:	Yes	Permittee Address:	501 DIPPER LANE DECATUR, IL 62522
Permitted Feature:	003 External Outfall	Discharge:	003-0 TREATED CSO-OAKLAND AVENUE
Facility:		Facility Location:	DECATUR SD MAIN STP 501 DIPPER LANE DECATUR, IL 62522

Report Dates & Status			
Monitoring Period:	From 11/01/19 to 11/30/19	DMR Due Date:	12/15/19
Status:	NetDMR Validated		

Considerations for Form Completion
RECEIVING WATER: SANGAMON RIVER NUMBER OF DAYS OF DISCHARGE:GF

Principal Executive Officer			
First Name:	Kent	Title:	Executive Director
Last Name:	Newton	Telephone:	217-422-6931

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading			Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2				Qualifier 3	Value 3	Units
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--	Sample						=	80			19 - mg/L	DL/DS - Daily When Discharging	GR - GRAB		
					Permit Req.											19 - mg/L	DL/DS - Daily When Discharging	GR - GRAB	
					Value NODI														
00400	pH	1 - Effluent Gross	0	--	Sample					=	7.4			=	7.4	12 - SU	DL/DS - Daily When Discharging	GR - GRAB	
					Permit Req.					>=	6 MINIMUM			<=	9 MAXIMUM	12 - SU	DL/DS - Daily When Discharging	GR - GRAB	
					Value NODI														
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample						=	126			19 - mg/L	DL/DS - Daily When Discharging	GR - GRAB		
					Permit Req.											19 - mg/L	DL/DS - Daily When Discharging	GR - GRAB	
					Value NODI														
82220	Flow, total	1 - Effluent Gross	0	--	Sample		=	2.43	80 - Mgal/mo							DL/DS - Daily When Discharging	CN - CONTIN		
					Permit Req.													DL/DS - Daily When Discharging	CN - CONTIN
					Value NODI														

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
One day of discharge.

Attachments
No attachments.

Report Last Saved By
DECATUR SD MAIN STP
User: charlestondac
Name: David Collard
E-Mail: davidc@sddcleanwater.org
Date/Time: 2019-12-11 15:05 (Time Zone: -06:00)

Report Last Signed By
User: charlestondac
Name: David Collard
E-Mail: davidc@sddcleanwater.org
Date/Time: 2019-12-11 15:13 (Time Zone: -06:00)

DMR Copy of Record

Permit																									
Permit #:		IL0028321			Permittee:				DECATUR SD MAIN STP				Facility:		DECATUR SD MAIN STP										
Major:		Yes			Permittee Address:				501 DIPPER LANE DECATUR, IL 62522				Facility Location:		501 DIPPER LANE DECATUR, IL 62522										
Permitted Feature:		004 External Outfall			Discharge:				004-0 TREATED CSO-SOUTH EDWARD ST																
Report Dates & Status																									
Monitoring Period:				From 11/01/19 to 11/30/19				DMR Due Date:				12/15/19				Status:						NetDMR Validated			
Considerations for Form Completion																									
RECEIVING WATER: SANGAMON RIVER NUMBER OF DAYS OF DISCHARGE:GF																									
Principal Executive Officer																									
First Name:				Kent				Title:				Executive Director				Telephone:						217-422-6931			
Last Name:				Newton																					
No Data Indicator (NODI)																									
Form NODI: --																									
Table Headers																									
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Sample Permit Req. Value NODI	Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type						
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3				Units					
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--																					
00400	pH	1 - Effluent Gross	0	--																					
00530	Solids, total suspended	1 - Effluent Gross	0	--																					
82220	Flow, total	1 - Effluent Gross	0	--																					
Submission Note																									
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																									
Edit Check Errors																									
No errors.																									
Comments																									
No discharge during the month.																									
Attachments																									
No attachments.																									
Report Last Saved By																									
DECATUR SD MAIN STP																									
User:				charlestandac																					
Name:				David Collard																					
E-Mail:				davidc@sddcleanwater.org																					
Date/Time:				2019-12-11 15:08 (Time Zone: -06:00)																					
Report Last Signed By																									
User:				charlestandac																					
Name:				David Collard																					
E-Mail:				davidc@sddcleanwater.org																					
Date/Time:				2019-12-11 15:13 (Time Zone: -06:00)																					

DMR Copy of Record

Permit																				
Permit #:	IL0028321	Permittee:	DECATUR SD MAIN STP											Facility:	DECATUR SD MAIN STP					
Major:	Yes	Permittee Address:	501 DIPPER LANE DECATUR, IL 62522											Facility Location:	501 DIPPER LANE DECATUR, IL 62522					
Permitted Feature:	007 External Outfall	Discharge:	007-0 TREATED CSO-MCKINLEY AVENUE																	
Report Dates & Status																				
Monitoring Period:	From 11/01/19 to 11/30/19		DMR Due Date:	12/15/19											Status:	NetDMR Validated				
Considerations for Form Completion																				
RECEIVING WATER: SANGAMON RIVER NUMBER OF DAYS OF DISCHARGE:GF																				
Principal Executive Officer																				
First Name:	Kent		Title:	Executive Director											Telephone:	217-422-6931				
Last Name:	Newton																			
No Data Indicator (NODI)																				
Form NODI:	--																			
Parameter	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
Code	Name			Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units					
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--						=	20				19 - mg/L		DL/DS - Daily When Discharging	GR - GRAB		
															19 - mg/L	0	DL/DS - Daily When Discharging	GR - GRAB		
00400	pH	1 - Effluent Gross	0	--						=	9			=	9	12 - SU		DL/DS - Daily When Discharging	GR - GRAB	
										>=	6 MINIMUM			<=	9 MAXIMUM	12 - SU	0	DL/DS - Daily When Discharging	GR - GRAB	
00530	Solids, total suspended	1 - Effluent Gross	0	--						=	124				19 - mg/L		DL/DS - Daily When Discharging	GR - GRAB		
															19 - mg/L	0	DL/DS - Daily When Discharging	GR - GRAB		
82220	Flow, total	1 - Effluent Gross	0	--			=	3.88	80 - Mgal/mo									DL/DS - Daily When Discharging	CN - CONTIN	
																		DL/DS - Daily When Discharging	CN - CONTIN	
Submission Note																				
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																				
Edit Check Errors																				
No errors.																				
Comments																				
One day of discharge.																				
Attachments																				
No attachments.																				
Report Last Saved By																				
DECATUR SD MAIN STP																				
User:	keithrsdd																			
Name:	Keith Richard																			
E-Mail:	keithr@sddcleanwater.org																			
Date/Time:	2019-12-11 15:21 (Time Zone: -06:00)																			
Report Last Signed By																				
User:	charlestoneDAC																			
Name:	David Collard																			
E-Mail:	davidc@sddcleanwater.org																			
Date/Time:	2019-12-11 15:26 (Time Zone: -06:00)																			

DMR Copy of Record

Permit			
Permit #:	IL0028321	Permittee:	DECATUR SD MAIN STP
Major:	Yes	Permittee Address:	501 DIPPER LANE DECATUR, IL 62522
Permitted Feature:	008 External Outfall	Discharge:	008-0 TREATED CSO-SEVENTH WARD
Facility:		Facility Location:	DECATUR SD MAIN STP 501 DIPPER LANE DECATUR, IL 62522

Report Dates & Status			
Monitoring Period:	From 11/01/19 to 11/30/19	DMR Due Date:	12/15/19
Status:	NetDMR Validated		

Considerations for Form Completion
RECEIVING WATER: SANGAMON RIVER NUMBER OF DAYS OF DISCHARGE:GF

Principal Executive Officer			
First Name:	Kent	Title:	Executive Director
Last Name:	Newton	Telephone:	217-422-6931

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--	Sample						=	28				19 - mg/L	DL/DS - Daily When Discharging	GR - GRAB		
					Permit Req.											19 - mg/L	0	DL/DS - Daily When Discharging	GR - GRAB	
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample						=	7.4			=	7.4	12 - SU	DL/DS - Daily When Discharging	GR - GRAB	
					Permit Req.						>=	6 MINIMUM			<=	9 MAXIMUM	12 - SU	0	DL/DS - Daily When Discharging	GR - GRAB
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample						=	132				19 - mg/L	DL/DS - Daily When Discharging	GR - GRAB		
					Permit Req.											19 - mg/L	0	DL/DS - Daily When Discharging	GR - GRAB	
					Value NODI															
82220	Flow, total	1 - Effluent Gross	0	--	Sample			=	8.42	80 - Mgal/mo							DL/DS - Daily When Discharging	CN - CONTIN		
					Permit Req.					Req Mon MO TOTAL	80 - Mgal/mo						0	DL/DS - Daily When Discharging	CN - CONTIN	
					Value NODI															

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
One day of discharge.

Attachments
No attachments.

Report Last Saved By
DECATUR SD MAIN STP
User: charlestondac
Name: David Collard
E-Mail: davidc@sddcleanwater.org
Date/Time: 2019-12-11 15:10 (Time Zone: -06:00)

Report Last Signed By
User: charlestondac
Name: David Collard
E-Mail: davidc@sddcleanwater.org
Date/Time: 2019-12-11 15:13 (Time Zone: -06:00)

DMR Copy of Record

Permit																	
Permit #:	IL0028321			Permittee:	DECATUR SD MAIN STP				Facility:	DECATUR SD MAIN STP							
Major:	Yes			Permittee Address:	501 DIPPER LANE DECATUR, IL 62522				Facility Location:	501 DIPPER LANE DECATUR, IL 62522							
Permitted Feature:	A03 External Outfall			Discharge:	A03-0 CSO-OAKLAND AV TRT BYPAS(003A)												
Report Dates & Status																	
Monitoring Period:	From 11/01/19 to 11/30/19			DMR Due Date:	12/15/19				Status:	NetDMR Validated							
Considerations for Form Completion																	
RECEIVING WATER:SANGAMON RIVERGF																	
Principal Executive Officer																	
First Name:	Kent			Title:	Executive Director				Telephone:	217-422-6931							
Last Name:	Newton																
No Data Indicator (NODI)																	
Form NODI:	--																
Parameter Code	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
				Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
74071	Flow	1 - Effluent Gross	0	--													
				Sample Permit Req.				Opt Mon MO TOTAL	4K - #/mo								
				Value NODI				C - No Discharge									
Submission Note																	
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																	
Edit Check Errors																	
No errors.																	
Comments																	
No discharge during the month.																	
Attachments																	
No attachments.																	
Report Last Saved By																	
DECATUR SD MAIN STP																	
User:	charlestondac																
Name:	David Collard																
E-Mail:	davidc@sddcleanwater.org																
Date/Time:	2019-12-11 15:10 (Time Zone: -06:00)																
Report Last Signed By																	
User:	charlestondac																
Name:	David Collard																
E-Mail:	davidc@sddcleanwater.org																
Date/Time:	2019-12-11 15:13 (Time Zone: -06:00)																

DMR Copy of Record

Permit																	
Permit #:	IL0028321			Permittee:	DECATUR SD MAIN STP				Facility:	DECATUR SD MAIN STP							
Major:	Yes			Permittee Address:	501 DIPPER LANE DECATUR, IL 62522				Facility Location:	501 DIPPER LANE DECATUR, IL 62522							
Permitted Feature:	A04 External Outfall			Discharge:	A04-0 CSO-S EDWARD ST TRT BYPS(004A)												
Report Dates & Status																	
Monitoring Period:	From 11/01/19 to 11/30/19			DMR Due Date:	12/15/19				Status:	NetDMR Validated							
Considerations for Form Completion																	
RECEIVING WATER:SANGAMON RIVERGF																	
Principal Executive Officer																	
First Name:	Kent			Title:	Executive Director				Telephone:	217-422-6931							
Last Name:	Newton																
No Data Indicator (NODI)																	
Form NODI:	--																
Parameter Code	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
				Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
74071	Flow	1 - Effluent Gross	0	--													
				Sample Permit Req.				Opt Mon MO TOTAL	4K - #/mo								
				Value NODI				C - No Discharge									
Submission Note																	
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																	
Edit Check Errors																	
No errors.																	
Comments																	
No discharge during the month.																	
Attachments																	
No attachments.																	
Report Last Saved By																	
DECATUR SD MAIN STP																	
User:	charlestdnac																
Name:	David Collard																
E-Mail:	davidc@sddcleanwater.org																
Date/Time:	2019-12-11 15:10 (Time Zone: -06:00)																
Report Last Signed By																	
User:	charlestdnac																
Name:	David Collard																
E-Mail:	davidc@sddcleanwater.org																
Date/Time:	2019-12-11 15:13 (Time Zone: -06:00)																

DMR Copy of Record

Permit																	
Permit #:	IL0028321			Permittee:	DECATUR SD MAIN STP				Facility:	DECATUR SD MAIN STP							
Major:	Yes			Permittee Address:	501 DIPPER LANE DECATUR, IL 62522				Facility Location:	501 DIPPER LANE DECATUR, IL 62522							
Permitted Feature:	A07 External Outfall			Discharge:	A07-0 CSO-MCKINLEY AV TR BYPAS(007A)												
Report Dates & Status																	
Monitoring Period:	From 11/01/19 to 11/30/19			DMR Due Date:	12/15/19				Status:	NetDMR Validated							
Considerations for Form Completion																	
RECEIVING WATER:UNNAMED TRIB OF SPRING CREEKGF																	
Principal Executive Officer																	
First Name:	Kent			Title:	Executive Director				Telephone:	217-422-6931							
Last Name:	Newton																
No Data Indicator (NODI)																	
Form NODI:	--																
Parameter Code	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
				Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
74071	Flow	1 - Effluent Gross	0	--													
				Sample Permit Req.				Opt Mon MO TOTAL	4K - #/mo								
				Value NODI				C - No Discharge									
Submission Note																	
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																	
Edit Check Errors																	
No errors.																	
Comments																	
No discharge during the month.																	
Attachments																	
No attachments.																	
Report Last Saved By																	
DECATUR SD MAIN STP																	
User:	charlestondac																
Name:	David Collard																
E-Mail:	davidc@sddcleanwater.org																
Date/Time:	2019-12-11 15:11 (Time Zone: -06:00)																
Report Last Signed By																	
User:	charlestondac																
Name:	David Collard																
E-Mail:	davidc@sddcleanwater.org																
Date/Time:	2019-12-11 15:13 (Time Zone: -06:00)																

DMR Copy of Record

Permit																	
Permit #:	IL0028321			Permittee:	DECATUR SD MAIN STP				Facility:	DECATUR SD MAIN STP							
Major:	Yes			Permittee Address:	501 DIPPER LANE DECATUR, IL 62522				Facility Location:	501 DIPPER LANE DECATUR, IL 62522							
Permitted Feature:	A08 External Outfall			Discharge:	A08-0 CSO-SEVENTH WARD TR BYPS(008A)												
Report Dates & Status																	
Monitoring Period:	From 11/01/19 to 11/30/19			DMR Due Date:	12/15/19				Status:	NetDMR Validated							
Considerations for Form Completion																	
RECEIVING WATER:SANGAMON RIVERGF																	
Principal Executive Officer																	
First Name:	Kent			Title:	Executive Director				Telephone:	217-422-6931							
Last Name:	Newton																
No Data Indicator (NODI)																	
Form NODI:	--																
Parameter Code	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
				Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
74071	Flow	1 - Effluent Gross	0														
				Sample Permit Req.				Opt Mon MO TOTAL	4K - #/mo								
				Value NODI				C - No Discharge									
Submission Note																	
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																	
Edit Check Errors																	
No errors.																	
Comments																	
No discharge during the month.																	
Attachments																	
No attachments.																	
Report Last Saved By																	
DECATUR SD MAIN STP																	
User:	charlestondac																
Name:	David Collard																
E-Mail:	davidc@sddcleanwater.org																
Date/Time:	2019-12-11 15:11 (Time Zone: -06:00)																
Report Last Signed By																	
User:	charlestondac																
Name:	David Collard																
E-Mail:	davidc@sddcleanwater.org																
Date/Time:	2019-12-11 15:13 (Time Zone: -06:00)																

DMR Copy of Record

Permit																			
Permit #:	IL0028321	Permittee:	DECATUR SD MAIN STP	Facility:	DECATUR SD MAIN STP														
Major:	Yes	Permittee Address:	501 DIPPER LANE DECATUR, IL 62522	Facility Location:	501 DIPPER LANE DECATUR, IL 62522														
Permitted Feature:	INF Influent Structure	Discharge:	INF-L INFLUENT REPORTING																
Report Dates & Status																			
Monitoring Period:	From 11/01/19 to 11/30/19	DMR Due Date:	12/15/19	Status:	NetDMR Validated														
Considerations for Form Completion																			
GF																			
Principal Executive Officer																			
First Name:	Kent	Title:	Executive Director	Telephone:	217-422-6931														
Last Name:	Newton																		
No Data Indicator (NODI)																			
Form NODI:	--																		
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00310	BOD, 5-day, 20 deg. C	G - Raw Sewage Influent	0	--	Sample						=		158			19 - mg/L	02/DA - 2 Days Every Week	CP - COMPOS	
					Permit Req.								Req Mon MO AVG			19 - mg/L	02/DA - 2 Days Every Week	CP - COMPOS	
					Value NODI														
00530	Solids, total suspended	G - Raw Sewage Influent	0	--	Sample						=		152			19 - mg/L	02/DA - 2 Days Every Week	CP - COMPOS	
					Permit Req.								Req Mon MO AVG			19 - mg/L	02/DA - 2 Days Every Week	CP - COMPOS	
					Value NODI														
50050	Flow, in conduit or thru treatment plant	G - Raw Sewage Influent	0	--	Sample	=	34.1	=	69.72	03 - MGD							99/99 - Continuous	RT - RCOTOT	
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							99/99 - Continuous	RT - RCOTOT	
					Value NODI														
Submission Note																			
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																			
Edit Check Errors																			
No errors.																			
Comments																			
Attachments																			
No attachments.																			
Report Last Saved By																			
DECATUR SD MAIN STP																			
User:	charlestdnac																		
Name:	David Collard																		
E-Mail:	davidc@sddcleanwater.org																		
Date/Time:	2019-12-11 15:11 (Time Zone: -06:00)																		
Report Last Signed By																			
User:	charlestdnac																		
Name:	David Collard																		
E-Mail:	davidc@sddcleanwater.org																		
Date/Time:	2019-12-11 15:13 (Time Zone: -06:00)																		